

2009

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Special Locality Report

278

Town of Parksley

Information in this report is included in Report

01

(Accomack County)

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Parksley

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
176 Bennett St	From:	SR 316 Cossatt Ave															
	Town of Parksley (Maint: 01)	0.38	3000	G	96%	0%	1%	0%	2%	0%	C	0.097	F		3200	G	
	To:	ECL Parksley															
316 Cossatt Ave	From:	SCL Parksley															
	Town of Parksley (Maint: 01)	0.07	3900	N	97%	1%	1%	0%	1%	0%	N	0.092	N		4100	N	
316 Cossatt Ave	From:	SR 176 Parkesley Rd															
	Town of Parksley (Maint: 01)	0.61	3000	G	97%	1%	1%	0%	1%	0%	F	0.092	F		3200	G	
	To:	NCL Parksley															

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Parksley

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Parksley																
(673/01) Bennett St	0.21	1000	G	98%	0%	From: WCL Parksley To: 01-763 Jones Ave				F	0.115	F	0.599	1100	G	2009
(673/01) Bennett St	0.20	1700	G	98%	0%	From: 01-763 Jones Ave To: SR 316 Cossatt Ave				F	0.096	F	0.567	1800	G	2009
(674/01) Maxwell St	0.10	170	N			From: WCL Parksley To: 01-1820; Staunton Ave								NA		08/16/2005
(674/01) Staunton Ave	0.06	120	R			From: 01-1820 Maxwell St To: 01-1810 Chadbourne St								NA		08/16/2005
(674/01) Staunton Ave	0.06	240	R			From: 01-1810 Chadbourne St To: 01-1819 Adelaide St								NA		08/16/2005
(674/01) Adelaide St	0.10	290	R			From: 01-1819 Adelaide St To: 01-1803 Staunton Ave								NA		08/16/2005
(674/01) Adelaide St	0.10	330	R			From: 01-1803 Staunton Ave To: 01-763 Jones Ave								NA		08/16/2005
(674/01) Adelaide St	0.10	380	R			From: 01-763 Jones Ave To: 01-1823 Wilson Ave								NA		08/16/2005
(674/01) Adelaide St	0.10	380	R			From: 01-1823 Wilson Ave To: SR 316 Cossatt Ave								NA		08/16/2005
(674/01) Adelaide St	0.01	630	R			From: SR 316 Cossatt Ave To: 01-1812 W, Patton St								NA		08/16/2005
(674/01) Adelaide St	0.03	550	R			From: 01-1812 W, Patton St To: 01-1812 E, Dunne Ave								NA		08/16/2005
(674/01) Adelaide St	0.06	530	R			From: 01-1812 E, Dunne Ave To: 01-1805 Browne Ave								NA		08/16/2005
(674/01) Adelaide St	0.10	690	R			From: 01-1805 Browne Ave To: 01-1806 Sea Side Ave								NA		08/16/2005
(674/01) Adelaide St	0.15	580	R			From: 01-1806 Sea Side Ave To: 01-678 County Rd								NA		08/16/2005
(763/01) Jones Ave	0.01	400	R			From: SCL Parksley To: 01-1824 Willis St								NA		07/06/2005
(763/01) Jones Ave	0.06	390	R			From: 01-1824 Willis St To: 01-673 Bennett St								NA		07/06/2005
(763/01) Jones Ave	0.06	400	R			From: 01-673 Bennett St To: 01-1814 Catherine St								NA		07/06/2005
(763/01) Jones Ave	0.07	510	R			From: 01-1814 Catherine St To: 01-1808 Mary St								NA		07/06/2005
(763/01) Jones Ave	0.06	430	R			From: 01-1808 Mary St To: 01-674 Adelaide St								NA		07/06/2005
(763/01) Jones Ave	0.06	310	R			From: 01-674 Adelaide St To: 01-1810 Chadbourne St								NA		07/06/2005
(763/01) Jones Ave	0.06	320	R			From: 01-1810 Chadbourne St To: 01-1820 Maxwell St								NA		07/06/2005
(763/01) Jones Ave	0.06	300	R			From: 01-1820 Maxwell St To: 01-1813 Collen St								NA		07/06/2005
(763/01) Jones Ave	0.06	340	R			From: 01-1813 Collen St To: 01-1811 Gertrude St								NA		07/06/2005
(1803/01) Staunton Ave	0.01	220	R			From: Dead End; Gap To: 01-1824 Willis St								NA		08/16/2005
(1803/01) Staunton Ave	0.06	280	R			From: 01-1824 Willis St To: 01-673 Bennett St								NA		08/16/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Parksley

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Parksley																
1803 01 Staunton Ave	0.06	300	R									NA		NA		08/16/2005
1803 01 Staunton Ave	0.07	180	R									NA		NA		08/16/2005
1803 01 Staunton Ave	0.06	290	R									NA		NA		08/16/2005
1804 01 Cooke St	0.06	1600	R									NA		NA		08/16/2005
1804 01 Cooke St	0.03	1400	R									NA		NA		08/16/2005
1804 01 Cooke St	0.06	870	R									NA		NA		08/16/2005
1804 01 Cooke St	0.06	660	R									NA		NA		08/16/2005
1804 01 Cooke St	0.07	350	R									NA		NA		08/16/2005
1805 01 Virginia Ave	0.08	370	R									NA		NA		08/16/2005
1805 01 Browne Ave	0.10	250	R									NA		NA		08/16/2005
1805 01 Browne Ave	0.07	410	R									NA		NA		08/16/2005
1805 01 Browne Ave	0.07	200	R									NA		NA		08/16/2005
1805 01 Browne Ave	0.07	130	R									NA		NA		08/23/2005
1805 01 Browne Ave	0.06	30	R									NA		NA		08/23/2005
1806 01 Sea Side Ave	0.08	270	R									NA		NA		08/23/2005
1806 01 Sea Side Ave	0.10	250	R									NA		NA		08/23/2005
1807 01 Woodland Ave	0.06	80	R									NA		NA		08/23/2005
1807 01 Woodland Ave	0.07	110	R									NA		NA		08/23/2005
1807 01 Woodland Ave	0.06	200	R									NA		NA		08/23/2005
1807 01 Woodland Ave	0.07	60	R									NA		NA		08/23/2005
1808 01 Mary St	0.10	90	R									NA		NA		08/23/2005
1808 01 Mary St	0.10	180	R									NA		NA		08/23/2005
1808 01 Mary St	0.10	360	R									NA		NA		08/23/2005

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Parksley

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Parksley																
(1810/01) Chadbourne St	0.10	46	R				From: 01-1807 Woodland Ave				NA			NA		08/23/2005
							To: 01-674 Staunton Ave									
(1810/01) Chadbourne St	0.10	170	R				From: 01-674 Adelaide St				NA			NA		08/23/2005
							To: 01-763 Jones Ave									
(1810/01) Chadbourne St	0.10	170	R				From: 01-763 Jones Ave				NA			NA		08/23/2005
							To: 01-1823 Wilson Ave									
(1810/01) Chadbourne St	0.10	250	R				From: 01-1823 Wilson Ave				NA			NA		08/23/2005
							To: SR 316 Cossatt Ave									
(1810/01) Chadbourne St	0.01	49	R				From: SR 316 Cossatt Ave				NA			NA		08/23/2005
							To: 01-1812 Patton St									
(1810/01) Chadbourne St	0.10	190	R				From: 01-1812 Patton St				NA			NA		08/09/2005
							To: 01-1805 Browne Ave									
(1811/01) Gertrude St	0.10	110	R				From: 01-763 Jones Ave				NA			NA		08/09/2005
							To: 01-1823 Wilson Ave									
(1811/01) Gertrude St	0.10	120	R				From: 01-1823 Wilson Ave				NA			NA		08/09/2005
							To: SR 316 Gap									
							From: 01-1812 Gap									
(1811/01) Gertrude St	0.10	48	R				From: 01-1812 Gap				NA			NA		08/09/2005
							To: 01-1805 Browne Ave									
(1812/01) Dunne Ave	0.10	520	R				From: SR 176 Bennett St				NA			NA		08/09/2005
							To: 01-1804 Cooke St									
(1812/01) Dunne Ave	0.10	3600	R				From: 01-1804 Cooke St				NA			NA		08/09/2005
							To: 01-674 E, Adelaide St									
							From: 01-674 W, Adelaide St									
(1812/01) Patton Ave	0.07	230	R				From: 01-674 W, Adelaide St				NA			NA		08/09/2005
							To: 01-1810 Chadbourne St									
(1812/01) Patton Ave	0.07	170	R				From: 01-1810 Chadbourne St				NA			NA		08/09/2005
							To: 01-1820 Maxwell St									
(1812/01) Patton Ave	0.07	190	R				From: 01-1820 Maxwell St				NA			NA		08/09/2005
							To: 01-1813 Callen St									
(1812/01) Patton Ave	0.06	120	R				From: 01-1813 Callen St				NA			NA		08/09/2005
							To: 01-1811 Gertrude St									
(1812/01) Patton Ave	0.05	20	R				From: 01-1811 Gertrude St				NA			NA		08/09/2005
							To: Dead End									
(1813/01) Callen St	0.10	90	R				From: 01-763 Jones Ave				NA			NA		08/30/2005
							To: 01-1823 Wilson Ave									
(1813/01) Callen St	0.10	150	R				From: 01-1823 Wilson Ave				NA			NA		08/30/2005
							To: SR 316 Cossatt Ave; Gap									
							From: 01-1812 Patton Ave; Gap									
(1813/01) Callen St	0.10	70	R				From: 01-1812 Patton Ave; Gap				NA			NA		08/30/2005
							To: 01-1805 Browne Ave									
(1814/01) Catherine St	0.10	150	R				From: 01-1805 Browne Ave				NA			NA		08/30/2005
							To: 01-1807 Woodland Ave									
(1814/01) Catherine St	0.10	340	R				From: 01-1807 Woodland Ave				NA			NA		08/30/2005
							To: 01-1803 Staunton Ave									
(1814/01) Catherine St	0.10	150	R				From: 01-1803 Staunton Ave				NA			NA		08/30/2005
							To: 01-763 Jones Ave									
(1814/01) Catherine St	0.10	200	R				From: 01-763 Jones Ave				NA			NA		08/30/2005
							To: 01-1823 Wilson Ave									
(1814/01) Catherine St	0.10	200	R				From: 01-1823 Wilson Ave				NA			NA		08/30/2005
							To: SR 316 Cassatt Ave									

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Parksley

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Parksley																
1817 01 Hickman Ave	0.08	240	R			From: SR 176 Bennett St					NA			NA		08/02/2005
						To: 01-1804 Cooke St										
1819 01 Adelaide St	0.10	340	R			From: 01-1807 Woodland Ave					NA			NA		08/02/2005
						To: 01-674 Staunton Ave										
1820 01 Maxwell St	0.10	400	R			From: 01-674 Adelaide St					NA			NA		08/02/2005
						To: 01-763 Jones Ave										
1820 01 Maxwell St	0.10	430	R			From: 01-1823 Wilson Ave					NA			NA		08/02/2005
						To: 01-1823 Wilson Ave										
1820 01 Maxwell St	0.10	600	R			From: SR 316 Gap					NA			NA		08/02/2005
						To: 01-1812 Gap										
1820 01 Maxwell St	0.10	70	R			From: 01-1812 Gap					NA			NA		08/02/2005
						To: 01-1805 Browne Ave										
1821 01 White St	0.10	90	R			From: Dead End					NA			NA		08/02/2005
						To: SR 316 Cossatt Ave										
1822 01 Pine St	0.10	90	R			From: 01-1823 Wilson Ave					NA			NA		08/02/2005
						To: SR 316 Cossatt Ave										
1823 01 Wilson Ave	0.06	470	R			From: 01-673 Bennett St					NA			NA		08/02/2005
						To: 01-1814 Catherine St										
1823 01 Wilson Ave	0.07	400	R			From: 01-1814 Catherine St					NA			NA		08/02/2005
						To: 01-1808 Mary St										
1823 01 Wilson Ave	0.06	550	R			From: 01-1808 Mary St					NA			NA		08/02/2005
						To: 01-674 Adelaide St										
1823 01 Wilson Ave	0.06	520	R			From: 01-674 Adelaide St					NA			NA		08/02/2005
						To: 01-1810 Chadbourne St										
1823 01 Wilson Ave	0.06	380	R			From: 01-1810 Chadbourne St					NA			NA		08/02/2005
						To: 01-1820 Maxwell St										
1823 01 Wilson Ave	0.06	520	R			From: 01-1820 Maxwell St					NA			NA		08/02/2005
						To: 01-1813 Collen St										
1823 01 Wilson Ave	0.06	370	R			From: 01-1813 Collen St					NA			NA		08/02/2005
						To: 01-1811 Gertrude St										
1823 01 Wilson Ave	0.05	90	R			From: 01-1811 Gertrude St					NA			NA		08/02/2005
						To: 01-1822 Pine St										
1824 01 Willis St	0.10	100	R			From: 01-1803 Staunton Ave					NA			NA		08/02/2005
						To: 01-763 Jones Ave										