

2010

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

37

Goochland County

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

- Bus
 Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
- ALT
 ALT - Alternate Route
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
6 River Rd West	From: Fluvanna County Line, ECL Columbia Goochland County	6.01	1600	G	94%	1%	1%	1%	3%	0%	C	0.107	F	0.625	1700	G
6 River Rd West	To: SR 45 Georges Tavern Goochland County	6.47	3800	G	94%	1%	1%	1%	3%	0%	F	0.091	F	0.698	4100	G
6 River Rd West	To: 37-600 Rock Castle Rd Goochland County	3.41	5300	G	94%	1%	1%	1%	3%	0%	F	0.107	F	0.805	5700	G
6 522 River Road West	To: US 522 W, Sandy Hook Rd From: W US 522 Goochland County	1.74	7300	G	96%	1%	1%	0%	2%	0%	F	0.101	F	0.581	7800	G
6 River Rd West	To: E US 522 From: US 522 E, Maidens Rd Goochland County	4.95	4200	G	99%	0%	0%	1%	0%	0%	F	0.109	F	0.572	4500	G
6 River Rd West	To: 37-628 Lee Rd Goochland County	6.62	5700	G	99%	0%	0%	1%	0%	0%	F	0.106	F	0.555	6100	G
6 Patterson Ave	To: 37-621 Manakin Rd From: Goochland County	1.84	8800	G	97%	0%	1%	1%	1%	0%	C	0.097	F	0.587	9500	G
6 Patterson Ave	To: SR 288 From: Goochland County	2.36	18000	G	99%	0%	0%	1%	0%	0%	C	0.111	F	0.548	19000	G
45 Cartersville Rd	To: Henrico County Line From: Cumberland County Line Goochland County	2.47	950	G	95%	1%	1%	2%	1%	0%	F	0.111	F	0.623	1000	G
45 Cartersville Rd	To: 37-707 Hackney Rd From: Goochland County	2.57	1400	G	95%	1%	1%	2%	1%	0%	C	0.094	F	0.648	1500	G
East 64	To: SR 6 River Rd West From: Maintenance Boundary Goochland County	1.11	14000	A	89%	1%	1%	0%	9%	0%	F	0.137	A		12000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		28000	A	89%	1%	1%	0%	9%	0%	F	0.119	A		25000	A
East 64	To: 37-605 Shannon Hill Rd From: Goochland County	3.92	14000	A	89%	1%	1%	0%	9%	0%	F	0.135	A		13000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		28000	A	89%	1%	1%	0%	9%	0%	F	0.118	A	0.555	26000	A
East 64	To: 37-629 Old Fredericksburg Rd From: Goochland County	5.20	15000	B	89%	1%	1%	0%	9%	0%	F	0.128	A		13000	B
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		29000	B	89%	1%	1%	0%	9%	0%	F	0.114	A	0.584	27000	B
East 64	To: Louisa County Line From: Goochland County Line Louisa County (Maint: 37)	1.49	15000	B	89%	1%	1%	0%	9%	0%	F	0.128	A		13000	B
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		29000	B	89%	1%	1%	0%	9%	0%	F	NA			27000	B
	To: US 522 Cross County Rd															

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
East 64	From: US 522 Cross County Rd																
	Louisa County (Maint: 37)	3.07	16000	G	89%	1%	1%	0%	9%	0%	F	NA		15000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			33000	G							NA		31000	G		
East 64	From: Goochland County Line																
	Louisa County Line																
East 64	Goochland County	4.81	16000	G	89%	1%	1%	0%	9%	0%	F	NA		15000	G		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			33000	G	89%	1%	1%	0%	9%	0%	F	NA		30000	G	
East 64	From: 37-617 Oilville Rd																
	Goochland County	6.56	21000	B	89%	1%	1%	0%	9%	0%	F	0.11	A	20000	B		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			41000	B	89%	1%	1%	0%	9%	0%	F	0.107	A	0.577	40000	B
East 64	From: 37-623 Ashland Rd																
	Goochland County	1.19	24000	A	89%	1%	1%	0%	9%	0%	F	0.114	A	24000	A		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			47000	A	89%	1%	1%	0%	9%	0%	F	0.107	A	0.573	48000	A
East 64	From: SR 288																
	Goochland County	0.64	31000	N	89%	1%	1%	0%	9%	0%	N	0.122	N	32000	N		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			61000	N	89%	1%	1%	0%	9%	0%	N	NA		65000	N	
East 64 Ramp	From: I-64-E TO RT 605WEST & EAST																
	Goochland County	0.19	NA									NA		NA			
East 64 Ramp	From: 37-605; 37-605- 7A FROM & TO I-64																
	Goochland County	0.18	NA									NA		NA			
East 64 Ramp	From: I-64-E TO RT 629WEST & EAST																
	Goochland County	0.18	NA									NA		NA			
East 64 Ramp	From: I-64-E TO US 522SOUTH & NORTH																
	Goochland County	0.26	NA									NA		NA			
East 64 Ramp	From: US 522 US 522- 18A FROM & TO I-64																
	Goochland County	0.13	490	G								NA		490	G		
East 64 Goochland Rest Area Ramp	From: I-64 East to Rest Area																
	Goochland County	0.09	NA									NA		NA			
East 64 Goochland Rest Area Ramp	From: Enter Rest Area Parking Lot																
	Goochland County	0.13	1200	G								NA		1200	G		
East 64 Ramp	From: I-64 East from Rest Area																
	Goochland County	0.21	1400	G	89%	1%	2%	4%	5%	0%	C	NA		1400	G		
East 64 Ramp From I-64 E to SR 288	From: 37-623; 37-623- 6A FROM & TO I-64																
	Goochland County	0.23	5600	A	86%	1%	1%	2%	9%	0%	C	0.113	A	5700	A		

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64	From: Maintenance Boundary															
	Goochland County	1.50	14000	A	89%	1%	1%	0%	9%	0%	F	0.124	A	13000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		28000	A	89%	1%	1%	0%	9%	0%	F	0.119	A	25000	A	
West 64	From: 37-605 Shannon Hill Rd															
	Goochland County	3.92	14000	A	89%	1%	1%	0%	9%	0%	F	0.125	A	13000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		28000	A	89%	1%	1%	0%	9%	0%	F	0.118	A	0.555	26000	A
West 64	From: 37-629 Old Fredericksburg Rd															
	Goochland County	4.75	15000	B	89%	1%	1%	0%	9%	0%	F	0.121	A	14000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		29000	B	89%	1%	1%	0%	9%	0%	F	0.114	A	0.584	27000	B
West 64	From: Louisa County Line															
	Louisa County (Maint: 37)	2.03	15000	B	89%	1%	1%	0%	9%	0%	F	0.121	A	14000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		29000	B	89%	1%	1%	0%	9%	0%	F	NA			27000	B
West 64	From: US 522 Cross County Rd															
	Louisa County (Maint: 37)	2.61	17000	B								0.119	A	16000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		33000	G								0.11	A	0.522	31000	G
West 64	From: Goochland County Line															
	Goochland County	5.02	16000	G	89%	1%	1%	0%	9%	0%	F	NA		15000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		33000	G	89%	1%	1%	0%	9%	0%	F	NA		30000	G	
West 64	From: 37-617 Oilville Rd															
	Goochland County	6.56	20000	B	89%	1%	1%	0%	9%	0%	F	0.121	A	20000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		41000	B	89%	1%	1%	0%	9%	0%	F	0.107	A	0.577	40000	B
West 64	From: 37-623 Ashland Rd															
	Goochland County	0.71	24000	A	89%	1%	1%	0%	9%	0%	F	0.121	A	24000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		47000	A	89%	1%	1%	0%	9%	0%	F	0.107	A	0.573	48000	A
West 64	From: SR 288															
	Goochland County	0.74	31000	F	89%	1%	1%	0%	9%	0%	F	0.129	A	33000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		61000	N	89%	1%	1%	0%	9%	0%	N	NA		65000	N	
West 64 Ramp	From: I-64-W TO RT 605WEST & EAST															
	Goochland County	0.19	NA									NA		NA		
West 64 Ramp	From: 37-605; 37-605- 7B FROM & TO I-64															
	Goochland County	0.17	840	B								0.168	A	860	B	
West 64 Ramp	From: I-64-W TO RT 629WEST & EAST															
	Goochland County	0.17	840	B								0.168	A	860	B	
West 64 Ramp	From: 37-629; 37-629- 1B FROM & TO I-64															
	Goochland County	0.24	3000	G								NA		3000	G	
West 64 Ramp	From: I-64-W TO US 522SOUTH & NORTH															
	Goochland County	0.24	3000	G								NA		3000	G	
	To: US 522 US 522- 18B FROM & TO I-64															

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64 Ramp	From: I-64-W TO RT 617 SOUTH & NORTH Goochland County To: 37-617; 37-617- B FROM & TO I-64	0.14	5200	G								NA		5200	G	
West 64 Goochland Rest Area Ramp	From: I-64 West to Rest Area Goochland County To: Enter Rest Area Parking Lot	0.05	NA									NA		NA		
West 64 Goochland Rest Area Ramp	From: Exit Rest Area Parking Lot Goochland County To: I-64 West from Rest Area	0.08	1200	G								NA		1200	G	
West 64 Ramp from I-64 W Exit 173A to 37-623	From: I-64 West Goochland County To: 37-623 Ashland Rd	0.18	5400	G	87%	2%	3%	4%	4%	0%	C	NA		5400	G	
West 64 Ramp from I-64 W Exit 175A to SR 288	From: I-64 West Goochland County To: SR 288 S	0.45	13000	A	96%	0%	1%	1%	2%	0%	C	0.186	A	15000	A	
250 Broad Street Rd	From: Fluvanna County Line Goochland County (Maint: 54) To: 37-605 Shannon Hill Rd	2.05	1100	N	97%	1%	1%	1%	1%	0%	N	0.087	N	1100	N	
250 Broad Street Rd	From: 37-605 Shannon Hill Rd Goochland County (Maint: 54) To: Richmond Maintenance Boundary	0.29	1500	F	97%	1%	1%	1%	1%	0%	F	0.105	F	1500	F	
250 Broad Street Rd	From: Richmond Maintenance Boundary Goochland County To: 37-606 Three Chopt Rd; Hadensville-Fife Rd	3.23	1500	G	97%	1%	1%	1%	1%	0%	C	0.107	F	1600	G	
250 Broad Street Rd	From: 37-606 Three Chopt Rd; Hadensville-Fife Rd Goochland County To: Louisa County Line	6.80	1200	G	97%	1%	1%	1%	1%	0%	F	0.109	F	1300	G	
250 Broad Street Rd	From: Louisa County Line Louisa County (Maint: 37) To: Goochland County Line	0.48	2400	G	97%	1%	1%	1%	1%	0%	F	0.097	F	2600	G	
250 Broad Street Rd	From: US 522 Cross County Rd; Sandy Hook Rd Louisa County (Maint: 37) To: US 522 Cross County Rd	1.63	1600	G	95%	1%	1%	1%	2%	0%	C	0.107	F	1700	G	
250 Broad Street Rd	From: Goochland County Line Goochland County To: Louisa County Line	6.72	2500	G	97%	0%	1%	1%	1%	0%	C	0.103	F	2700	G	
250 Broad Street Rd	From: 37-670 Cardwell Rd Goochland County To: 37-621 Manakin Rd	5.56	5600	G	97%	0%	1%	1%	1%	0%	F	0.104	F	6000	G	
250 Broad Street Rd	From: 37-621 Manakin Rd Goochland County To: 37-623 W, Hockett Rd	0.49	11000	G	97%	0%	1%	1%	1%	0%	F	0.095	F	12000	G	
250 Broad Street Rd	From: 37-623 W, Hockett Rd Goochland County To: SR 288	1.47	11000	G	97%	0%	1%	1%	1%	0%	C	0.1	F	12000	G	
250 Broad Street Rd	From: SR 288 Goochland County To: Henrico County Line	0.28	24000	G	98%	0%	1%	0%	0%	0%	F	NA		26000	G	

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
271 Pouncey Tract Rd	From: Henrico County Line															
	Goochland County	0.53	4900	G	96%	0%	1%	2%	0%	0%	C	0.094	F	0.564	5300	G
288	To: Hanover County Line															
	From: Powhatan County Line															
Goochland County	1.57	44000	A	96%	0%	0%	1%	2%	0%	C	0.135	A	0.66	49000	A	
288	To: SR 6 Patterson Ave															
	Goochland County	0.64	34000	G	96%	0%	1%	1%	2%	0%	F	NA		39000	G	
288	To: West Creek Parkway															
	Goochland County	1.68	35000	G	96%	0%	1%	1%	2%	0%	F	0.155	N	0.527	41000	G
288	To: Tuckahoe Creek Parkway															
	Goochland County	1.79	43000	A	96%	0%	1%	1%	2%	0%	C	0.155	A	0.527	50000	A
288	To: US 250 Broad St															
	Goochland County	0.85	37000	A	95%	0%	1%	1%	3%	0%	C	0.155	A	0.502	42000	A
North 288 Ramp	To: I-64															
	From: SR 288 N															
Goochland County	0.35	12000	A	96%	0%	1%	1%	2%	0%	C	0.173	A		15000	A	
North 288 Ramp	To: I-64 E															
	From: SR 288 N															
Goochland County	0.37	6100	A	87%	1%	2%	2%	9%	0%	C	0.126	A		6200	A	
522 Maidens Rd	To: I-64 W															
	From: Powhatan County Line															
Goochland County	0.38	3900	G	93%	1%	1%	1%	4%	0%	F	0.11	F	0.589	4200	G	
522 6 River Road West	To: S SR 6 River Road West															
	From: S SR 6; Maidens Rd															
Goochland County	1.74	7300	G	96%	1%	1%	0%	2%	0%	F	0.101	F	0.581	7800	G	
522 Sandy Hook Rd	To: N SR 6; Sandy Hook Rd															
	From: N SR 6 River Road West															
Goochland County	6.24	4200	G	96%	1%	1%	0%	2%	0%	C	0.102	F	0.769	4500	G	
522 Cross County Rd	To: Louisa County Line															
	From: Goochland County Line															
Louisa County (Maint: 37)	0.35	4100	G	93%	1%	1%	1%	4%	0%	F	0.098	F	0.665	4400	G	
522 Ramp	To: US 250 Broad Street Rd															
	From: US 522 I-64-E159A FROM & TO IS 64															
Goochland County	0.26	NA										NA		NA		
522 Ramp	To: I-64-E FRO US 522SOUTH & NORTH															
	From: US 522 I-64-W159A FROM & TO IS 64															
Goochland County	0.27	NA										NA		NA		
522 Ramp	To: I-64-W FROM US 522SOUTH & NORTH															

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(F84) Fleming Rd	0.27	180	R				From: Dead End				NA		NA			08/22/2006
							To: 37-605 Shannon Hill Rd									
(F85) Ange Rd	0.73	80	R				From: 37-606 Three Chopt Rd				NA		NA			08/24/2006
							To: Dead End									
(F86) Aspen Rd	0.14	9	R				From: Dead End				NA		NA			08/24/2006
							To: 37-629 Old Fredericksburg Rd									
(F88) Junction Rd	0.13	48	R				From: Dead End				NA		NA			03/30/2006
							To: US 522 Cross County Rd									
(F91) Goosewing Rd	0.25	220	R				From: 37-654 Shallow Well Rd				NA		NA			02/16/2006
							To: Dead End									
(F92) Landis Rd	0.47	100	R				From: 37-654 Shallow Well Rd				NA		NA			02/16/2006
							To: Dead End									
(F94) Bennington Rd	0.84	80	R				From: 37-623 Ashland Rd				NA		NA			02/27/2006
							To: Dead End									
(F1067) Sweetback Lane	0.21	30	R				From: Dead End				NA		NA			09/15/2009
							To: 37-647 Pagebrook Dr									
(F1068)	0.26	2	R				From: Dead End				NA		NA			09/21/2009
							To: SR 6 Patterson Ave									
(674 ₃₂) Timber Rd	0.20	20	R				From: Dead End				NA		NA			07/08/2008
							To: Goochland County Line									
(674 ₃₂) Timber Rd	0.20	90	R				From: Goochland County Line				NA		NA			07/08/2008
							To: 32-659 Stage Junction Rd									
(600) Rock Castle Rd	1.50	49	R				From: Dead End				NA		NA			07/22/2009
							To: 37-627 Ben Lomond Rd									
(600) Rock Castle Rd	2.64	620	R				From: 37-627 Ben Lomond Rd				NA		NA			08/22/2006
							To: 37-625 Three Square Rd									
(600) Rock Castle Rd	3.73	1000	R				From: 37-625 Three Square Rd				NA		NA			08/22/2006
							To: SR 6 River Rd West									
(600) Rock Castle Rd	0.53	300	R				From: SR 6 River Rd West				NA		NA			08/22/2006
							To: 37-614 Dogtown Rd									
(601) Pryor Rd	2.19	200	R				From: 37-648 Matthews Rd				NA		NA			07/20/2009
							To: 37-606 Hadensville-Fife Rd									
(602) Old Stage Rd	0.50	60	R				From: Dead End				NA		NA			07/22/2009
							To: 37-614 Dogtown Rd									
(603) Elk Island Rd	1.23	30	R				From: Cumberland County Line				NA		NA			08/22/2006
							To: SR 6 River Rd West									
(603) Elk Island Rd	2.21	80	R				From: SR 6 River Rd West				NA		NA			08/22/2006
							To: 37-667 W, Old Columbia Rd									
							From: 37-667 E, Old Columbia Rd									
(603) Tabscott Rd	2.30	150	R				From: 37-667 E, Old Columbia Rd				NA		NA			08/22/2006
							To: 37-610 E, Community House Rd									

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(603) Tabscott Rd	2.35	80	R													08/10/2009
(603) Tabscott Rd	0.51	50	R													07/13/2009
(603) Tabscott Rd	4.70	190	R													08/22/2006
(604) Whitsell Rd	0.44	440	R													07/13/2009
(605) Shannon Hill Rd	0.95	560	R													08/22/2006
(605) Shannon Hill Rd	3.92	440	R													08/22/2006
(605) Shannon Hill Rd	1.95	420	R													08/22/2006
(605) Shannon Hill Rd	0.40	1600	G	95%	1%	0%	1%	3%	0%	F	0.118	F	0.849	1700	G	2010
(605) Shannon Hill Rd	0.15	1300	G	95%	1%	0%	1%	3%	0%	F	0.118	N	0.849	1300	G	2010
(605) Shannon Hill Rd	0.31	1300	G	95%	1%	0%	1%	3%	0%	C	0.121	F	0.576	1400	G	2010
(605) Ramp	0.24	NA														NA
(605) Ramp	0.24	NA														NA
(606) Hadensville-Fife Rd	1.07	1300	G	97%	2%	1%	0%	1%	0%	C	0.103	F	0.65	1400	G	2010
(606) Hadensville-Fife Rd	3.12	700	G	97%	2%	1%	0%	1%	0%	F	0.147	F	0.548	760	G	2010
(606) Hadensville-Fife Rd	0.02	980	G	97%	2%	1%	0%	1%	0%	F	0.117	F	0.538	1100	G	2010
(606) Hadensville-Fife Rd	3.04	790	G	97%	2%	1%	0%	1%	0%	F	0.115	F	0.564	860	G	2010
(606) Hadensville-Fife Rd	1.52	1200	G	97%	2%	1%	0%	1%	0%	F	0.095	F	0.605	1300	G	2010
(606) Hadensville-Fife Rd	0.38	590	R													07/13/2009
(606) Three Chopt Rd	1.67	540	R													07/13/2009
(607) Irwin Rd	0.40	10	R													08/22/2006
(607) Jackson Shop Rd	3.15	360	R													08/22/2006
(608) Elk Hill Rd	1.70	130	R													07/20/2009

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(608) Davis Mill Rd	1.20	160	R								NA			NA		07/20/2009
(608) Davis Mill Rd	4.93	200	R								NA			NA		07/20/2009
(609) Hickory Hill Rd	2.30	240	R								NA			NA		08/24/2006
(609) Three Chopt Rd	3.00	300	R								NA			NA		08/24/2006
(610) Community House Rd	5.70	370	R								NA			NA		07/13/2009
(611) Cedar Plains Rd	4.13	350	R								NA			NA		08/24/2006
(612) Three Chopt Rd	2.05	550	R								NA			NA		08/03/2009
(612) Three Chopt Rd	1.45	280	R								NA			NA		08/12/2009
(613) Riddles Bridge Rd	3.81	330	R								NA			NA		08/24/2006
(614) Dogtown Rd	2.70	510	G	95%	2%	1%	0%	1%	0%	C	0.123	F		510	G	2010
(614) Dogtown Rd	1.25	1600	R								NA			NA		07/22/2009
(615) Chapel Hill Rd	4.30	300	R								NA			NA		08/24/2006
(615) Forest Grove Rd	3.15	430	R								NA			NA		08/24/2006
(616) Stokes Station Rd	0.40	20	R								NA			NA		07/22/2009
(616) Stokes Station Rd	1.50	130	R								NA			NA		07/22/2009
(616) Stokes Station Rd	0.97	530	R								NA			NA		07/22/2009
(616) Haskins Rd	3.13	680	R								NA			NA		08/24/2006
(617) Oilville Rd	0.72	8200	G	97%	0%	1%	0%	1%	0%	C	0.106	F	0.647	8800	G	2010
(617) Oilville Rd	0.25	4700	G	97%	0%	1%	0%	1%	0%	F	0.108	F	0.755	5000	G	2010
(617) Oilville Rd	0.20	3100	G	97%	0%	1%	0%	1%	0%	F	0.104	F	0.819	3300	G	2010
(617) Oilville Rd	0.33	2400	G	97%	0%	1%	0%	1%	0%	F	0.108	F	0.837	2600	G	2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
Goochland County																		
617 Ramp	0.14	NA	From: 37-617 I-64-E167A FROM & TO IS 64													NA	NA	
			To: I-64-E FROM RT 617SOUTH & NORTH															
617 Ramp	0.20	NA	From: 37-617 I-64-W167A FROM & TO IS 64													NA	NA	
			To: I-64-W FROM RT 617SOUTH & NORTH															
618 Whittcamp Rd	3.10	160	From: 37-616 Stokes Station Rd													NA	NA	08/22/2006
			To: SR 45 Cartersville Rd															
619 Newline Rd	0.95	440	From: 37-700 Three Chopt Rd													NA	NA	08/10/2009
			To: Louisa County Line															
620 Hanover Rd	0.80	1000	G	98%	0%	From: 37-617 Oilville Rd				C	0.103	F	0.522	1100	G	2010		
						To: 37-654 Shallow Well Rd												
620 Hanover Rd	0.80	800	G	98%	0%	From: 37-654 Shallow Well Rd				F	0.122	F	0.514	860	G	2010		
						To: Hanover County Line												
621 Manakin Ferry Rd	0.70	80	From: Dead End													NA	NA	08/03/2009
			To: SR 6 E, River Rd West SR 6 W, River Rd West															
621 Manakin Rd	5.95	1300	G	98%	0%	From: 37-676 Hermitage Rd				C	0.092	F	0.542	1400	G	2010		
						To: US 250 Broad Street Rd												
621 Manakin Rd	0.58	3100	G	97%	0%	From: 37-676 Hermitage Rd				C	0.087	F	0.615	3300	G	2010		
						To: US 250 Broad Street Rd												
621 Manakin Rd	2.74	1700	G	98%	0%	From: 37-626 Seay Rd				C	0.106	F	0.693	1900	G	2010		
						To: Hanover County Line												
621 Manakin Rd	0.39	580	G	98%	0%	From: 37-626 Seay Rd				F	0.112	F	0.541	620	G	2010		
						To: Hanover County Line												
622 Three Chopt Rd	0.23	80	From: US 250 Broad St													NA	NA	08/24/2009
			To: Dead End at SR 288															
622 Three Chopt Rd	1.37	80	From: 37-623 S, Ashland Rd													NA	NA	08/24/2009
			To: Hanover County Line															
622 Rockville Rd	2.35	2000	G	98%	0%	From: 37-623 S, Ashland Rd				C	0.099	F	0.671	2200	G	2010		
						To: Hanover County Line												
623 Hockett Rd	1.42	1100	G	94%	0%	From: SR 6 Patterson Ave; River Rd West				F	0.116	F	0.595	1200	G	2010		
						To: 37-668 N, Snead Rd												
623 Hockett Rd	3.72	1600	G	94%	0%	From: 37-668 N, Snead Rd				F	0.117	F	0.715	1700	G	2010		
						To: US 250 W, Broad St												
623 Ashland Rd	1.17	8900	G	94%	0%	From: US 250 E, Broad St				C	0.103	F	0.608	9600	G	2010		
						To: I-64												
623 Ashland Rd	2.38	5700	G	91%	0%	From: I-64				C	0.110	F	0.619	6100	G	2010		
						To: Hanover County Line												
623 Ramp	0.18	4400	G	84%	1%	From: 37-623 I-64-E173A FROM & TO IS 64				C	NA		4400	G	2010			
						To: I-64-E FROM RT 623SOUTH & NORTH												
623 Ramp	0.16	1200	G	91%	1%	From: 37-623 I-64-W173A FROM & TO IS 64				C	NA		1200	G	2010			
						To: I-64-W FROM RT 623SOUTH & NORTH												
624 Vinita Rd	0.35	80	From: Dead End													NA	NA	02/13/2006
			To: 37-650 River Rd															

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(625) Three Square Rd	1.50	630	R											NA		07/22/2009
(625) St Pauls Church Rd	2.65	250	R											NA		07/22/2009
(626) Seay Rd	2.85	530	R											NA		02/27/2006
(627) Ben Lomond Rd	1.35	30	R											NA		07/22/2009
(628) Lee Rd	0.92	100	R											NA		02/15/2006
(628) Lee Rd	1.48	260	R											NA		02/15/2006
(629) Old Fredericksburg Rd	0.30	630	G	97%	0%	1%	0%	1%	0%	C	0.107	F	0.712	690	G	2010
(629) Old Fredericksburg Rd	0.78	1800	G	96%	0%	1%	1%	1%	0%	C	0.099	F	0.612	2000	G	2010
(629) Old Fredericksburg Rd	2.04	1000	R											NA		07/13/2009
(629) Ramp	0.24	890	B	96%	0%	1%	1%	1%	0%	F	0.18	A		920	B	2010
(629) Ramp	0.25	530	R											NA		1997
(630) Cedar Point Rd	0.70	60	R											NA		02/27/2006
(631) Scott Rd	0.25	40	R											NA		07/27/2009
(631) Scott Rd	0.25	90	R											NA		07/27/2009
(631) Scott Rd	0.15	150	R											NA		07/27/2009
(632) Fairground Rd	1.66	6700	G	97%	0%	1%	0%	1%	0%	C	0.105	F	0.647	7200	G	2010
(632) Fairground Rd	1.32	7200	G	97%	0%	1%	0%	1%	0%	F	0.102	F	0.704	7700	G	2010
(632) Fairground Rd	2.16	7100	G	97%	0%	1%	0%	1%	0%	F	0.103	F	0.718	7600	G	2010
(633) Poor House Rd	2.12	300	R											NA		03/14/2006
(634) Maidens Rd	2.40	1700	R											NA		07/27/2009
(634) Maidens Rd	1.50	660	R											NA		07/27/2009

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(634) Maidens Rd	1.80	430	R								NA			NA		07/27/2009
						From: 37-637 Hawk Town Rd										
(634) Maidens Rd	0.50	230	R								NA			NA		07/27/2009
						To: 37-702 Pony Farm Rd										
(634) Maidens Rd	0.20	280	R								NA			NA		07/27/2009
						From: 37-672 Turner Rd										
						To: US 250 Broad Street Rd										
(635) Camelback Rd	1.15	760	R								NA			NA		02/27/2006
						From: 37-637 Hawk Town Rd										
						To: US 250 E, Broad Street Rd										
(635) Perkinsville Church Rd	1.90	220	G	97%	3%	0%	0%	0%	0%	C	0.11	F	0.571	240	G	2010
						From: US 250 W, Broad Street Rd										
						To: Louisa County Line										
(636) Elpis Church Rd	0.70	340	R								NA			NA		03/14/2006
						From: US 250 Broad Street Rd										
						To: 37-702 Pony Farm Rd										
(637) Hawk Town Rd	1.50	280	R								NA			NA		03/14/2006
						From: 37-632 Fairground Rd										
						To: 37-634 Maidens Rd										
(638) Soldiers Lodge Rd	0.27	46	R								NA			NA		07/29/2009
						From: Dead End										
						To: 37-639 Sheppard Town Rd										
(639) Sheppard Town Rd	5.08	1100	R								NA			NA		08/24/2006
						From: 37-634 Maidens Rd										
						To: 37-670 Cardwell Rd										
(640) Rochelle Rd	0.24	100	R								NA			NA		09/15/2009
						From: SR 6 Patterson Ave										
						To: Dead End										
(641) Taylor Rd	0.64	620	R								NA			NA		02/16/2006
						From: Dead End										
						To: 37-670 S, Cardwell Rd										
(641) Genito Rd	1.55	320	R								NA			NA		02/16/2006
						From: 37-670 E, Cardwell Rd										
						To: 37-654 Shallow Well Rd										
(641) Shallow Well Rd	1.95	360	R								NA			NA		02/16/2006
						From: 37-654; Genito Rd										
						To: 37-644 Miller Lane										
(642) Dover Rd	1.90	150	R								NA			NA		07/29/2009
						From: SR 6 River Rd West										
						To: 37-641 Shallow Well Rd										
(643) West View Rd	1.10	60	R								NA			NA		08/22/2006
						From: Dead End										
						To: 37-600 Rock Castle Rd										
(644) Sabot Station Rd	0.08	45	R								NA			NA		07/29/2009
						From: Dead End										
						To: SR 6 E, River Rd West										
(644) Miller Lane	4.50	540	R								NA			NA		07/29/2009
						From: SR 6 W, River Rd West										
						To: 37-621 Manakin Rd										
(645) Beaverdam Creek Rd	1.33	560	R								NA			NA		02/16/2006
						From: SR 6 River Rd West										
						To: Dead End										
(646) Duval Rd	2.47	200	R								NA			NA		08/22/2006
						From: 37-603 Tabscott Rd										
						To: US 250 Broad Street Rd										
(647) Pagebrook Dr	0.60	860	R								NA			NA		02/13/2006
						From: 37-650 River Rd										
						To: 37-1109 S, Briarwood Circle										

Virginia Department of Transportation
 Traffic Engineering Division
 2010
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(647) Pagebrook Dr	0.10	1000	R									NA		NA		02/13/2006
			From: 37-1109 S. Briarwood Circle													
			To: 37-1109 N. Briarwood Circle													
(647) Pagebrook Dr	0.45	1000	R									NA		NA		02/13/2006
			From: SR 6 Patterson Ave													
			To: 37-610 Community House Rd													
(648) Matthews Rd	2.00	150	R									NA		NA		07/20/2009
			From: 37-606 Hadensville-Fife Rd													
			To: 37-650 River Rd													
(649) Blair Rd	1.00	1300	R									NA		NA		02/13/2006
			From: SR 6 Patterson Ave													
			To: SR 6 Patterson Ave													
(650) River Rd	4.37	3400	G	98%	0%	1%	1%	0%	0%	C	0.132	F	0.591	3700	G	2010
			From: SR 6 Patterson Ave													
			To: Henrico County Line													
(651) Lowry Rd	2.80	140	R									NA		NA		07/13/2009
			From: 37-667 Old Columbia Rd													
			To: 37-610 Community House Rd													
(652) Dadneys Rd	0.15	110	R									NA		NA		08/22/2006
			From: SR 45 Cartersville Rd													
			To: 37-618 Whittcamp Rd													
(653) Three Chopt Rd	1.00	130	R									NA		NA		07/13/2009
			From: 37-605 Shannon Hill Rd													
			To: 37-683 Parrish Rd													
(653) Three Chopt Rd	0.85	90	R									NA		NA		07/13/2009
			From: 37-604 Whitsett Rd													
(654) Shallow Well Rd	3.64	630	R									NA		NA		08/27/2006
			From: 37-641 Shallow Well Rd; Genito Rd													
			To: 37-620 Hanover Rd													
(655) First Union Rd	0.12	50	R									NA		NA		07/29/2009
			From: 37-670 Cardwell Rd													
			To: Dead End													
(656) Leabough Rd	0.60	80	R									NA		NA		08/24/2006
			From: Dead End													
			To: 37-614 Dogtown Rd													
(657) Sargent Rd	0.50	70	R									NA		NA		07/29/2009
			From: 37-670 Cardwell Rd													
			To: Dead End													
(658) Pace Rd	0.50	120	R									NA		NA		08/22/2006
			From: Dead End													
			To: 37-606 Hadensville-Fife Rd													
(659) Creekmore Rd	0.25	290	R									NA		NA		09/15/2009
			From: SR 6 Patterson Ave													
			To: Dead End													
(660) Childress Rd	0.25	20	R									NA		NA		02/27/2006
			From: Dead End													
			To: 37-622 Rockville Rd													
(661) Salmontown Rd	0.55	150	R									NA		NA		07/22/2009
			From: Dead End													
			To: 37-625 St Pauls Church Rd													
(662) Willway Dr	0.05	1000	R									NA		NA		02/13/2006
			From: SR 6 River Rd West													
			To: 37-663 Hickory Dr; 37-664 Dogwood Dr													
(662) Willway Dr	0.30	400	R									NA		NA		02/13/2006
			From: 37-714 Sawdust Dr													
(662) Willway Dr	0.14	300	R									NA		NA		02/13/2006
			From: 37-1040 Edgehill Wood Dr													

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(662) Willway Dr	0.09	230	R								NA			NA		02/13/2006
(662) Willway Dr	0.40	170	R								NA			NA		08/03/2009
(663) Hickory Dr	0.17	460	R								NA			NA		08/03/2009
(663) Hickory Dr	0.18	360	R								NA			NA		08/03/2009
(663) Hickory Dr	0.13	320	R								NA			NA		08/03/2009
(663) Hickory Dr	0.17	230	R								NA			NA		08/03/2009
(663) Hickory Dr	0.24	110	R								NA			NA		08/03/2009
(663) Hickory Dr	0.10	90	R								NA			NA		08/03/2009
(664) Dogwood Dr	0.22	140	R								NA			NA		02/13/2006
(665) Landfill Rd	0.15	500	R								NA			NA		07/27/2009
(666) Gathright Dr	0.60	160	R								NA			NA		07/27/2009
(667) Old Columbia Rd	3.10	270	R								NA			NA		08/22/2006
(667) Old Columbia Rd	3.52	260	R								NA			NA		08/22/2006
(668) Snead Rd	0.66	280	R								NA			NA		08/03/2009
(669) County Line Rd	3.40	190	R								NA			NA		08/22/2006
(669) County Line Rd	0.18	210	R								NA			NA		08/22/2006
(670) Cardwell Rd	5.20	1200	G	96%	1%	1%	2%	0%	0%	C	0.138	F	0.566	1300	G	2010
(671) Cemetery Lane	0.12	20	R								NA			NA		08/24/2006
(672) Turner Rd	2.10	350	R								NA			NA		03/13/2006
(673) Whitehall Rd	4.91	900	G	98%	1%	1%	0%	0%	0%	F	0.103	F	0.651	980	G	2010
(673) Whitehall Rd	2.00	2000	G	98%	1%	1%	0%	0%	0%	C	0.108	F	0.862	2100	G	2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(675) Ranson Rd	0.01	50	R			From: SR 6 W, River Rd West					NA			NA		07/20/2009
(675) Ranson Rd	0.34	46	R			To: 0.01 MN SR 6					NA			NA		07/20/2009
(676) Hermitage Rd	0.43	710	R			From: SR 6 E, River Rd West					NA			NA		02/13/2006
(676) Hermitage Rd	1.38	520	R			To: SR 6 River Rd West					NA			NA		02/13/2006
(676) Hermitage Rd	2.85	1400	R			From: 37-1040 Edgehill Wood Dr					NA			NA		02/13/2006
(676) Hermitage Rd						To: 37-621 S, Manakin Rd					NA			NA		02/13/2006
(677) Bowles Rd	0.20	8	R			From: 37-621 N, Manakin Rd					NA			NA		07/13/2009
(677) Bowles Rd						To: Cul-de-Sac					NA			NA		07/13/2009
(678) Marlin Rd	1.00	150	R			From: 37-605 Shannon Hill Rd					NA			NA		07/22/2009
(679) Funny Tree Trail	0.16	20	R			To: Dead End					NA			NA		08/22/2006
(680) Youngstown Rd	0.88	50	R			From: Dead End					NA			NA		07/20/2009
(681) Payne Rd	2.00	120	R			To: SR 6 River Rd West					NA			NA		08/22/2006
(683) Parrish Rd	0.29	60	R			From: Dead End					NA			NA		07/13/2009
(684) Ragland Rd	0.80	120	R			To: 37-653 Three Chopt Rd					NA			NA		07/22/2009
(685) Johnson Rd	0.50	630	R			From: Dead End					NA			NA		08/05/2009
(686) New Town Rd	0.85	230	R			To: Louisa County Line					NA			NA		08/22/2006
(687) Danieltown Rd	2.50	180	R			From: Dead End					NA			NA		07/20/2009
(688) Pink Dogwood Rd	0.50	40	R			To: 37-600 Rock Castle Rd					NA			NA		07/13/2009
(689) Robinson Rd	0.30	70	R			From: 37-603 Tabscott Rd					NA			NA		08/24/2006
(689) Robinson Rd	0.20	120	R			To: Dead End					NA			NA		08/24/2006
(690) Springfield Rd	0.35	110	R			From: 0.30 MS Dead End					NA			NA		08/24/2006
(691) Stage Coach Rd	0.25	160	R			To: 37-614 Dogtown Rd					NA			NA		02/16/2006
						From: Dead End					NA			NA		02/16/2006
						To: 37-644 Miller Lane					NA			NA		02/16/2006
						From: Dead End					NA			NA		02/16/2006
						To: Dead End					NA			NA		02/16/2006

Virginia Department of Transportation
 Traffic Engineering Division
 2010
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(692) Bell Rd	0.50	110	R								NA		NA			08/24/2006
(693) Martin Rd	0.60	40	R								NA		NA			07/13/2009
(694) Proffitt Rd	0.48	140	R								NA		NA			08/26/2009
(695) Waddy Dr	0.40	160	R								NA		NA			08/22/2006
(696) Pacetown Rd	0.59	210	R								NA		NA			08/24/2006
(697) Marle Rd	0.36	10	R								NA		NA			07/13/2009
(698) Mickeytown Rd	0.12	70	R								NA		NA			03/13/2006
(699) Three Chopt Rd	1.30	220	R								NA		NA			07/13/2009
(699) Three Chopt Rd	0.20	60	R								NA		NA			08/22/2006
(699) Three Chopt Rd	1.35	120	R								NA		NA			08/22/2006
(700) Three Chopt Rd	3.20	760	R								NA		NA			03/30/2006
(701) Oakland Church Rd	0.35	550	R								NA		NA			08/12/2009
(702) Pony Farm Rd	0.20	430	R								NA		NA			03/13/2006
(702) Pony Farm Rd	0.70	300	R								NA		NA			08/12/2009
(702) Pony Farm Rd	0.90	410	R								NA		NA			03/13/2006
(702) Pony Farm Rd	3.25	400	R								NA		NA			03/13/2006
(703) Herndon Rd	0.30	50	R								NA		NA			07/20/2009
(704) Alvis Rd	0.40	160	R								NA		NA			02/16/2006
(705) Cooley Rd	0.60	340	R								NA		NA			08/10/2009
(706) Jerusalem Church Rd	0.23	30	R								NA		NA			02/16/2006

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(707) Hackney Rd	0.33	110	R								NA		NA			07/22/2009
(708) St Matthew Lane	0.71	790	R								NA		NA			02/27/2006
(708) St Matthew Lane	0.22	40	R								NA		NA			02/27/2006
(709) Holly Dr	0.18	90	R								NA		NA			08/03/2009
(710) Maidens Loop	0.11	30	R								NA		NA			02/27/2006
(711)	0.03	2	R								NA		NA			07/27/2009
(712) Windsor Way	1.07	120	R								NA		NA			02/13/2006
(712) Devon Way	0.54	380	R								NA		NA			02/13/2006
(713) Grays Lane	0.20	70	R								NA		NA			07/22/2009
(714) Sawdust Dr	0.25	100	R								NA		NA			02/13/2006
(714) Sawdust Dr	0.18	60	R								NA		NA			02/13/2006
(714) Sawdust Dr	0.07	50	R								NA		NA			02/13/2006
(715) Birch Circle	0.08	60	R								NA		NA			08/03/2009
(717) Maidens Loop	0.16	180	R								NA		NA			03/13/2006
(718) Halls Rd	0.80	430	R								NA		NA			08/24/2006
(720) Rollins Dr	0.34	50	R								NA		NA			07/13/2009
(724) Bulldog Way	0.92	1300	R								NA		NA			02/27/2006
(725) Nelwood Rd	0.07	50	R								NA		NA			02/27/2006
(725) Nelwood Rd	0.31	70	R								NA		NA			02/27/2006
(726) Nelwood Cove	0.06	20	R								NA		NA			02/27/2006

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(727) Nelwood Place	0.11	40	R				From: 37-725 Nelwood Rd					NA		NA		02/27/2006
							To: Cul-de-Sac									
(730) Courthouse Creek Rd	0.08	110	R				From: Dead End					NA		NA		07/27/2009
							To: 37-634 Maidens Rd									
(735) Goodluck Rd	0.55	100	R				From: Dead End					NA		NA		08/12/2009
							To: 37-702 Pony Farm Rd									
(737) Cabin Rd	2.31	70	R				From: Dead End					NA		NA		08/10/2009
							To: 37-619 Newline Rd									
(737) Shephed Spring Rd	0.75	230	R				From: 37-1140 Fox Chase Run					NA		NA		08/10/2009
							To: 37-676 Hermitage Rd									
(740) Tuckahoe Creek Pkwy	0.65	1100	R				From: 37-676 Hermitage Rd					NA		NA		08/12/2009
							To: 37-1150 Kinloch Rd									
(740) Tuckahoe Creek Pkwy	0.60	1800	R				From: 37-1150 Kinloch Rd					NA		NA		08/12/2009
							To: 37-623 Hockett Rd									
(741) Capital One Dr	0.84	3000	R				From: 37-1250 West Creek Pkwy					NA		NA		09/15/2009
							To: Dead End									
(1000) Plaza Dr	0.33	1800	R				From: US 250 Broad Street Rd					NA		NA		08/05/2009
							To: 37-1013 Briggs Dr									
(1000) Plaza Dr	0.09	1900	R				From: 37-1013 Briggs Dr					NA		NA		08/05/2009
							To: 37-708 St Matthew Lane									
(1000) Plaza Dr	0.29	2100	R				From: 37-708 St Matthew Lane					NA		NA		08/05/2009
							To: 37-623 Ashland Rd									
(1001) Mills Rd	0.13	180	R				From: US 250 Broad St					NA		NA		02/27/2006
							To: 37-1002 Pamela Lane									
(1002) Pamela Lane	0.09	100	R				From: 37-1002 Pamela Lane					NA		NA		02/27/2006
							To: 37-1004 Dorothy Dr									
(1002) Pamela Lane	0.17	150	R				From: 37-1004 Dorothy Dr					NA		NA		08/05/2009
							To: 37-1003 Burfoot Rd									
(1002) Pamela Lane	0.07	60	R				From: 37-1003 Burfoot Rd					NA		NA		08/05/2009
							To: Dead End									
(1003) Burfoot Rd	0.09	30	R				From: 37-1005 Fawn Lane					NA		NA		02/27/2006
							To: 37-1002 Pamela Lane									
(1004) Dorothy Dr	0.09	130	R				From: 37-1002 Pamela Lane					NA		NA		08/05/2009
							To: 37-1005 Fawn Lane									
(1005) Fawn Lane	0.15	60	R				From: 37-1005 Fawn Lane					NA		NA		02/27/2006
							To: 37-1004 Dorothy Dr									
(1005) Fawn Lane	0.07	20	R				From: 37-1004 Dorothy Dr					NA		NA		02/27/2006
							To: 37-1003 Burfoot Rd									
							To: Dead End									
(1006) Holly Lane	0.16	260	R				From: 37-623 Hockett Rd					NA		NA		08/05/2009
							To: 37-1007 Oak Lane									
(1006) Holly Lane	0.09	200	R				From: 37-1007 Oak Lane					NA		NA		08/05/2009
							To: 37-1008 Birch Rd									

Virginia Department of Transportation
 Traffic Engineering Division
 2010
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1006) Holly Lane	0.10	100	R			From: 37-1008 Birch Rd					NA			NA		08/05/2009
(1006) Holly Lane	0.04	30	R			To: 37-1009 Cedar Circle					NA			NA		08/05/2009
						To: Dead End										
(1007) Oak Lane	0.06	60	R			From: 37-1006 Holly Lane					NA			NA		02/27/2006
						To: Dead End										
(1008) Birch Rd	0.05	100	R			From: 37-1006 Holly Lane					NA			NA		08/05/2009
(1008) Birch Rd	0.04	30	R			To: 37-1009 Cedar Circle					NA			NA		08/05/2009
						To: Dead End										
(1009) Cedar Circle	0.12	80	R			From: 37-1008 Birch Rd					NA			NA		02/27/2006
						To: 37-1006 Holly Lane										
(1010) Whippoorwill Rd	0.37	190	R			From: Dead End					NA			NA		08/05/2009
						To: US 250 Broad St										
(1011) Valentine Rd	0.05	10	R			From: 37-708 St Matthew Lane					NA			NA		02/27/2006
						To: Dead End										
(1012) Little Falls Lane	0.29	100	R			From: 37-708 St Matthew Lane					NA			NA		08/05/2009
						To: Cul-de-Sac										
(1013) Briggs Dr	0.19	1200	R			From: US 250 Broad Street Rd					NA			NA		02/27/2006
						To: 37-1000 Plaza Dr										
(1014) Goins Rd	0.23	20	R			From: 37-623 Hockett Rd					NA			NA		02/27/2006
						To: 37-623 Hockett Rd										
(1015) Commerce Center Dr	0.23	860	R			From: Cul-de-Sac					NA			NA		08/26/2009
						To: 37-623 Ashland Rd										
(1016) Granite Ridge Rd	0.23	580	R			From: Cul-de-Sac					NA			NA		08/26/2009
						To: 37-1015										
(1017) Greystone Court	0.06	70	R			From: 37-1016					NA			NA		08/26/2009
						To: Cul-de-Sac										
(1018) Shadow Creek Lane	0.50	170	R			From: 37-621 Manakin Rd					NA			NA		02/16/2006
						To: Cul-de-Sac										
(1019) Forest Meadow Lane	0.23	60	R			From: Cul-de-Sac					NA			NA		02/13/2006
						To: 37-621 Manakin Rd										
(1020) Broad Run Dr	0.10	220	R			From: 37-621 Manakin Rd					NA			NA		08/12/2009
(1020) Broad Run Dr	0.48	130	R			To: 37-1021 Deer Run Rd					NA			NA		08/12/2009
						To: Cul-de-Sac										
(1021) Deer Run Rd	0.30	90	R			From: 37-1020 Broad Run Dr					NA			NA		08/12/2009
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1022) Red Fox Rd	0.16	50	R				From: 37-621 Manakin Rd					NA		NA		02/15/2006
							To: Cul-de-Sac									
(1023) Mellick Ridge Rd	0.33	90	R				From: Cul-de-Sac					NA		NA		02/13/2006
							To: 37-1024 Mellick Ridge Court									
(1023) Mellick Ridge Rd	0.08	160	R				From: 37-1024 Mellick Ridge Court					NA		NA		02/13/2006
							To: 37-621 Manakin Rd									
(1024) Mellick Ridge Court	0.14	60	R				From: Cul-de-Sac					NA		NA		02/13/2006
							To: 37-1023 Mellick Ridge Rd									
(1025) Goosepoint Court	0.06	60	R				From: Cul-de-Sac					NA		NA		02/16/2006
							To: 37-676 Hermitage Rd									
(1026) Hunting Ridge Rd	0.34	110	R				From: Cul-de-Sac					NA		NA		02/16/2006
							To: 37-1028 Quail Run Dr									
(1026) Hunting Ridge Rd	0.40	290	R				From: 37-1028 Quail Run Dr					NA		NA		02/16/2006
							To: 37-1027 W, Game Bird Court									
(1026) Hunting Ridge Rd	0.04	290	R				From: 37-1027 W, Game Bird Court					NA		NA		02/16/2006
							To: 37-1027 E, Game Bird Court									
(1026) Hunting Ridge Rd	0.07	320	R				From: 37-1027 E, Game Bird Court					NA		NA		02/16/2006
							To: 37-676 Hermitage Rd									
(1027) Game Bird Court	0.16	40	R				From: 37-1026 Hunting Ridge Rd					NA		NA		08/12/2009
							To: 37-1026 Hunting Ridge Rd									
(1028) Quail Run Dr	0.36	110	R				From: Cul-de-Sac					NA		NA		02/16/2006
							To: 37-1026 Hunting Ridge Rd									
(1029) Hawk Wing Dr	0.34	50	R				From: Cul-de-Sac					NA		NA		08/12/2009
							To: 37-676 Hermitage Rd									
(1030) Holly Lake Dr	0.14	70	R				From: Cul-de-Sac					NA		NA		02/16/2006
							To: 37-1031 Rolling Lake Court									
(1030) Holly Lake Dr	0.19	140	R				From: 37-1031 Rolling Lake Court					NA		NA		02/16/2006
							To: 37-676 Hermitage Rd									
(1031) Rolling Lake Court	0.13	70	R				From: Cul-de-Sac					NA		NA		08/12/2009
							To: 37-1030 Holly Lake Dr									
(1032) First Flite Lane	0.30	40	R				From: Cul-de-Sac					NA		NA		08/03/2009
							To: 37-676 Hermitage Rd									
(1035) Perrow Lane	0.50	100	R				From: Cul-de-Sac					NA		NA		02/13/2006
							To: 37-676 Hermitage Rd									
(1037) Cedar Run Court	0.05	30	R				From: 37-676 Hermitage Rd					NA		NA		02/13/2006
							To: Cul-de-Sac									
(1038) Elm Creek Dr	0.38	220	R				From: 37-1039 Crossridge Lane					NA		NA		02/13/2006
							To: 37-676 Hermitage Rd									
(1039) Crossridge Lane	0.33	90	R				From: Cul-de-Sac					NA		NA		02/13/2006
							To: 37-1038 Elm Creek Dr									

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1039) Crossridge Lane	0.46	60	R			From: 37-1038 Elm Creek Dr					NA			NA		02/13/2006
						To: Cul-de-Sac										
(1040) Edgehill Wood Dr	0.42	180	R			From: 37-676 Hermitage Rd					NA			NA		02/13/2006
						To: 37-1041 Edgehill Wood Court										
(1040) Edgehill Wood Dr	0.14	160	R			From: 37-1041 Edgehill Wood Court					NA			NA		02/13/2006
						To: 37-662 Willway Dr										
(1041) Edgehill Wood Court	0.13	70	R			From: 37-1040 Edgehill Wood Dr					NA			NA		08/03/2009
						To: Cul-de-Sac										
(1042) Cedar Run Rd	0.89	170	R			From: Cul-de-Sac					NA			NA		02/13/2006
						To: 37-676 Hermitage Rd										
(1043) Cypress Court	0.08	30	R			From: 37-1042 Cedar Run Rd					NA			NA		02/13/2006
						To: Cul-de-Sac										
(1044) Summit Court	0.10	40	R			From: 37-1042 Cedar Run Rd					NA			NA		02/13/2006
						To: Cul-de-Sac										
(1045) Red Cedar Dr	0.14	30	R			From: 37-663 Old Hickory Dr					NA			NA		02/13/2006
						To: 37-1046 Red Maple Dr										
(1046) Red Maple Dr	0.11	120	R			From: 37-662 Willway Dr					NA			NA		08/03/2009
						To: 37-1045 Red Cedar Dr										
(1046) Red Maple Dr	0.16	40	R			From: 37-1045 Red Cedar Dr					NA			NA		08/03/2009
						To: 37-663 Old Hickory Dr										
(1047) Hickory Court	0.04	9	R			From: 37-663 Hickory Dr					NA			NA		02/13/2006
						To: Cul-de-Sac										
(1050) Adventure Lane	0.23	190	R			From: 37-1052 White Horse Rd					NA			NA		02/27/2006
						To: 37-634 Maidens Rd										
(1051) Rohrer Rd	0.07	30	R			From: 37-1050 Adventure Lane					NA			NA		02/27/2006
						To: Cul-de-Sac										
(1052) White Horse Rd	0.15	60	R			From: Cul-de-Sac SOUTH					NA			NA		02/27/2006
						To: 37-1050 Adventure Lane										
(1052) White Horse Rd	0.09	80	R			From: 37-1050 Adventure Lane					NA			NA		02/27/2006
						To: Cul-de-Sac NORTH										
(1055) Alldever Dr	0.15	130	R			From: 37-634 Maidens Rd					NA			NA		02/27/2006
						To: 37-1056 Craig Run Court										
(1055) Alldever Dr	0.35	70	R			From: 37-1056 Craig Run Court					NA			NA		02/27/2006
						To: Cul-de-Sac										
(1056) Craig Run Court	0.11	30	R			From: Cul-de-Sac					NA			NA		02/27/2006
						To: 37-1055 Alldever Dr										
(1058) Log Cabin Rd	0.86	180	R			From: Cul-de-Sac					NA			NA		07/27/2009
						To: 37-634 Maidens Rd										
(1059) Old Store Rd	0.12	30	R			From: Cul-de-Sac					NA			NA		07/27/2009
						To: 37-1058 Log Cabin Rd										

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1060) Brittlend Dr	0.52	140	R				From: 37-626 Seay Rd				NA			NA		02/27/2006
							To: Cul-de-Sac									
(1063) Bexley Wood Run	0.34	120	R				From: Cul-de-Sac				NA			NA		08/24/2006
							To: 37-613									
(1064) Sycamore Creek Dr	0.27	50	R				From: US 250 Broad Street Rd				NA			NA		02/16/2006
							To: Cul-de-Sac									
(1065) Rabbit Warren Rd	0.21	80	R				From: US 250 Broad Street Rd				NA			NA		02/16/2006
							To: Cul-de-Sac									
(1066)	0.18	NA					From: 37-1067				NA			NA		
							To: 37-623 Hockett Rd									
(1067)	0.76	NA					From: 37-1066				NA			NA		
							To: 37-1066 End of Loop									
(1068)	0.04	NA					From:				NA			NA		
							To: 37-1067									
(1071) Sandwedge Court	0.05	20	R				From: Cul-de-Sac				NA			NA		08/10/2009
							To: 37-1099; 37-1098									
(1072) Par Three Plaza	0.10	20	R				From: Cul-de-Sac				NA			NA		08/10/2009
							To: 37-1098									
(1073) Putting Green Way	0.06	20	R				From: 37-1098				NA			NA		08/10/2009
							To: Cul-de-Sac									
(1074) Double Eagle Court	0.05	20	R				From: Cul-de-Sac				NA			NA		08/10/2009
							To: 37-1098									
(1077) Parkers Hill Dr	0.88	170	R				From: 37-634 Maidens Rd				NA			NA		07/27/2009
							To: Cul-de-Sac									
(1078) Blackwood Dr	0.22	49	R				From: 37-639 Sheppard Town Rd				NA			NA		07/27/2009
							To: Cul-de-Sac									
(1079) Long Branch Dr	0.13	40	R				From: 37-639 Sheppard Town Rd				NA			NA		07/27/2009
							To: Cul-de-Sac									
(1080) Greenbriar Branch Dr	0.35	130	R				From: 37-632 Fairground Rd				NA			NA		07/27/2009
							To: 37-1081 Wicker Woods Dr									
(1080) Greenbriar Branch Dr	0.11	47	R				From: 37-1081 Wicker Woods Dr				NA			NA		07/27/2009
							To: Cul-de-Sac									
(1081) Wicker Woods Dr	0.23	60	R				From: 37-1080 Greenbriar Branch Dr				NA			NA		10/23/2006
							To: Cul-de-Sac									
(1086) Eastleigh Dr	0.09	30	R				From: Cul-de-Sac				NA			NA		03/30/2006
							To: 37-1092 Tranbycroft Way									
(1087) Checketts Dr	0.22	90	R				From: Cul-de-Sac				NA			NA		03/30/2006
							To: 37-1092 Tranbycroft Way									

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Goochland County																	
(1087) Checketts Dr	0.24	90	R				From: 37-1092 Tranbycroft Way				NA			NA		03/30/2006	
							To: Cul-de-Sac										
(1088) Caleherne Ct	0.06	46	R				From: 37-1092 Tranbycroft Way				NA			NA		03/30/2006	
							To: Cul-de-Sac										
(1089) Blackfriar Lane	0.03	20	R				From: 37-1092 Tranbycroft Way				NA			NA		03/30/2006	
							To: Louisa County Line										
(1090) Broadland Way	0.50	510	R				From: US 522 Sandy Hook Rd				NA			NA		03/30/2006	
							To: 37-1091 Hill House Lane										
(1090) Broadland Way	0.15	420	R				From: 37-1092 Tranbycroft Way				NA			NA		03/30/2006	
							To: 37-1090 Broadland Way										
(1091) Hill House Lane	0.09	46	R				From: Cul-de-Sac				NA			NA		03/30/2006	
							To: Cul-de-Sac										
(1092) Tranbycroft Way	0.93	230	R				From: Cul-de-Sac				NA			NA		03/30/2006	
							To: 37-1090 Broadland Way										
(1092) Tranbycroft Way	0.23	220	R				From: 37-1093 Kingsmere Dr				NA			NA		03/30/2006	
							To: Cul-de-Sac										
(1092) Tranbycroft Way	0.06	30	R				From: Cul-de-Sac				NA			NA		03/30/2006	
							To: Cul-de-Sac										
(1093) Kingsmere Dr	0.09	30	R				From: 37-1094 Parkhouse Court				NA			NA		03/30/2006	
							To: 37-1092 Tranbycroft Way										
(1093) Kingsmere Dr	0.11	150	R				From: Cul-de-Sac				NA			NA		03/30/2006	
							To: 37-1093 Kingsmere Dr										
(1094) Parkhouse Court	0.17	60	R				From: Cul-de-Sac				NA			NA		03/30/2006	
							To: 37-1093 Kingsmere Dr										
(1094) Parkhouse Court	0.15	60	R				From: Cul-de-Sac				NA			NA		03/30/2006	
							To: 37-1097 Royal Virginia Pkwy										
(1095) Royal Virginia Court	0.20	20	R				From: Cul-de-Sac				NA			NA		08/10/2009	
							To: Cul-de-Sac										
(1096) Royal Virginia Lane	0.11	2	R				From: Cul-de-Sac				NA			NA		08/10/2009	
							To: 37-1097 Royal Virginia Pkwy										
(1097) Royal Virginia Pkwy	1.23	390	R				From: 37-1099; 37-1098				NA			NA		08/24/2006	
							To: 37-606 Hadensville-Fife Rd										
(1098) Dougle Eagle Dr	0.63	80	R				From: Cul-de-Sac				NA			NA		08/10/2009	
							To: 37-1097; 37-1071										
(1099) Sand Trap Circle	0.11	6	R				From: 37-1097; 37-1071				NA			NA		08/10/2009	
							To: Cul-de-Sac										
(1101) Berkley Dr	0.10	470	R				From: 37-1102 Brook Run Dr				NA			NA		09/21/2009	
							To: 37-650 River Rd										
(1102) Brook Run Dr	0.10	20	R				From: Dead End				NA			NA		02/13/2006	
							To: 37-1104 W. Ashley Dr										

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1102) Brook Run Dr	0.40	340	R				From: 37-1104 W, Ashley Dr					NA		NA		02/13/2006
(1102) Brook Run Dr	0.03	520	R				To: 37-1101 Berkley Dr					NA		NA		02/13/2006
(1102) Brook Run Dr	0.49	210	R				From: 37-1103 Sweetbriar Dr					NA		NA		02/13/2006
							To: 37-1104 E, Ashley Dr									
(1103) Sweetbriar Dr	0.12	50	R				From: Dead End					NA		NA		09/21/2009
(1103) Sweetbriar Dr	0.40	200	R				To: 37-1104 Ashley Dr					NA		NA		09/21/2009
							To: 37-1102 Brook Run Dr									
(1104) Ashley Dr	0.10	47	R				From: 37-1102 W, Brook Run Dr					NA		NA		02/13/2006
(1104) Ashley Dr	0.08	60	R				To: 37-1103 Sweetbriar Dr					NA		NA		02/13/2006
							To: 37-1102 E, Brook Run Dr									
(1105) Willow Oaks Rd	0.20	80	R				From: Dead End					NA		NA		09/15/2009
							To: 37-650 River Rd									
(1106) Lower Tuckahoe Rd	0.06	790	R				From: 37-1107 Lower Tuckahoe Rd					NA		NA		02/13/2006
							To: 37-650 River Rd									
(1107) Lower Tuckahoe Rd	0.37	140	R				From: Dead End					NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.29	280	R				To: 37-1108 Roads End Lane					NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.06	270	R				From: 37-1106 Lower Tuckahoe Rd					NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.11	300	R				To: 37-1111 W, Dahlgren Rd					NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.07	320	R				From: 37-1113 Buck Branch Dr					NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.12	470	R				To: 37-1111 E, Dahlgren Rd					NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.05	150	R				From: 37-1120 Hill Point Rd					NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.11	70	R				To: 37-1121 Lower Tuckahoe Court					NA		NA		09/21/2009
							To: Cul-de-Sac									
(1108) Roads End Lane	0.13	50	R				From: 37-1107 Lower Tuckahoe Rd					NA		NA		02/13/2006
							To: Dead End									
(1109) Briarwood Circle	0.24	70	R				From: 37-647 Pagebrook Dr					NA		NA		09/15/2009
							To: 37-647 Pagebrook Dr									
(1110) Knollwood Dr	0.12	60	R				From: 37-647 Pagebrook Dr					NA		NA		02/13/2006
							To: Cul-de-Sac									
(1111) Dahlgren Rd	0.54	200	R				From: 37-1107 W, Lower Tuckahoe Rd					NA		NA		09/21/2009
(1111) Dahlgren Rd	0.15	150	R				To: 37-1113 Buck Branch Dr					NA		NA		09/21/2009
							To: 37-1114 Dover Place									

Virginia Department of Transportation
 Traffic Engineering Division
 2010
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1111) Dahlgren Rd	0.11	180	R				From: 37-1114 Dover Place					NA		NA		09/21/2009
							To: 37-1107 E, Lower Tuckahoe Rd									
(1112) Flag Stage Rd	0.25	100	R				From: Dead End					NA		NA		02/13/2006
							To: 37-650 River Rd									
(1113) Buck Branch Dr	0.29	200	R				From: Dead End					NA		NA		09/21/2009
							To: 37-1111 Dahlgren Rd									
(1114) Dover Place	0.05	20	R				From: 37-1111 Dahlgren Rd					NA		NA		02/13/2006
							To: Dead End									
(1115) Partridge Rd	0.50	220	R				From: Cul-de-Sac					NA		NA		09/21/2009
							To: 37-650 River Rd									
(1116) Mystic Court	0.15	60	R				From: Dead End					NA		NA		02/13/2006
							To: 37-1111 Dahlgren Rd									
(1117) Archway Lane	0.11	260	R				From: 37-1146 Stone Creek Dr					NA		NA		07/20/2009
							To: 37-1147 Rockcross Lane									
(1118) Timber Trail Dr	0.32	46	R				From: Cul-de-Sac					NA		NA		07/20/2009
							To: 37-1147 Rockcross Lane									
(1119) Fallen Creek Dr	0.08	40	R				From: 37-1147 Rockcross Lane					NA		NA		07/20/2009
							To: Cul-de-Sac									
(1120) Hill Point Rd	0.17	50	R				From: Dead End					NA		NA		02/13/2006
							To: 37-1122 Hill Point Court									
(1120) Hill Point Rd	0.25	270	R				From: 37-1107 Lower Tuckahoe Rd					NA		NA		02/13/2006
							To: 37-650 River Rd									
(1120) Hill Point Rd	0.05	500	R				From: 37-650 River Rd					NA		NA		02/13/2006
							To: Cul-de-Sac									
(1121) Lower Tuckahoe Court	0.06	40	R				From: Cul-de-Sac					NA		NA		09/21/2009
							To: 37-1107 Lower Tuckahoe Rd									
(1122) Hill Point Court	0.05	50	R				From: 37-1120 Hill Point Rd					NA		NA		02/13/2006
							To: Dead End									
(1123) Dunaway Dr	0.11	30	R				From: 37-1120 Hill Point Rd					NA		NA		02/13/2006
							To: Dead End									
(1126) Victoria Lane	0.17	250	R				From: 37-659 Creekmore Rd					NA		NA		02/13/2006
							To: 37-1127 Regina Lane									
(1127) Regina Lane	0.16	160	R				From: Cul-de-Sac					NA		NA		02/13/2006
							To: 37-1126 Victoria Lane									
(1127) Regina Lane	0.03	50	R				From: 37-1126 Victoria Lane					NA		NA		09/15/2009
							To: Cul-de-Sac									
(1128) Drew Ridge Dr	0.41	230	R				From: Cul-de-Sac					NA		NA		08/22/2006
							To: US 250; 37-699									

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1129) Royal Ridge Court	0.33	80	R											NA		08/22/2006
(1130) Rockford Rd	0.29	160	R											NA		02/16/2006
(1130) Rockford Rd	0.20	160	R											NA		02/16/2006
(1130) Rockford Rd	0.49	570	R											NA		02/16/2006
(1131) Wheatlands Dr	1.12	220	R											NA		08/26/2009
(1132) Harolds Dr	0.35	130	R											NA		02/16/2006
(1133) Windy Run	0.25	60	R											NA		08/26/2009
(1134) Massies Lane	0.17	150	R											NA		08/26/2009
(1135) Ford Rd	0.76	320	R											NA		02/16/2006
(1136) Fed Lane	0.33	100	R											NA		02/16/2006
(1137) Willowtrace Lane	0.96	220	R											NA		03/30/2006
(1140) Fox Chase Run	0.40	290	R											NA		03/30/2006
(1141) West Grey Fox Circle	0.95	180	R											NA		08/24/2009
(1142) Fox Lair Rd	0.11	30	R											NA		08/24/2009
(1142) Fox Lair Rd	0.39	49	R											NA		08/24/2009
(1143) Elm Creek Dr	0.37	260	R											NA		02/16/2006
(1144) Elm Creek Circle	0.08	60	R											NA		02/13/2006
(1145) Mill Trace Lane	0.55	260	R											NA		03/30/2006
(1146) Stone Creek Dr	0.77	220	R											NA		03/30/2006

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1147) Rockcross Lane	0.33	210	R				From: Cul-de-Sac				NA			NA		03/30/2006
(1147) Rockcross Lane	0.81	220	R				To: 37-1137 Willowtrace Lane				NA			NA		07/20/2009
(1148) Stonecastle Lane	0.21	50	R				From: 37-1137 Willowtrace Lane				NA			NA		07/20/2009
(1149) Heathmill Rd	0.15	40	R				To: Cul-de-Sac				NA			NA		03/30/2006
(1150) Kinloch Rd	0.16	70	R				From: Cul-de-Sac				NA			NA		02/16/2006
(1150) Kinloch Rd	0.31	200	R				To: 37-1151 Kinloch Rd				NA			NA		02/16/2006
(1151) Kinloch Rd	0.22	100	R				From: 37-1150 Kinloch Rd				NA			NA		02/16/2006
(1152) Long Pond Rd	0.48	610	R				To: Cul-de-Sac				NA			NA		09/15/2009
(1153) Hill Grove Rd	0.33	190	R				From: 37-1158 Fairstead Rd				NA			NA		09/15/2009
(1154) Hunt Field Rd	0.14	80	R				To: 37-740 Tuckahoe Creek Pkwy				NA			NA		09/15/2009
(1154) Hunt Field Rd	0.04	20	R				From: Cul-de-Sac				NA			NA		09/15/2009
(1155) Wellfield Rd	0.33	160	R				To: 37-1157 Broadfield Circle				NA			NA		09/15/2009
(1156) Glenmeade Circle	0.04	20	R				From: Cul-de-Sac				NA			NA		09/15/2009
(1157) Broadfield Circle	0.15	50	R				To: 37-1155 Wellfield Rd				NA			NA		09/15/2009
(1158) Fairstead Rd	0.19	60	R				From: 37-1152 Long Pond Rd				NA			NA		09/30/2009
(1159) Longfield Dr	0.20	30	R				To: Cul-de-Sac				NA			NA		09/30/2009
(1160) Fairhurst Court	0.03	8	R				From: Cul-de-Sac				NA			NA		09/30/2009
(1161) Millstead Lane	0.11	45	R				To: 37-1159 Longfield Dr				NA			NA		09/30/2009
(1162)	0.27	NA					From: 37-1158 Fairstead Rd				NA			NA		09/30/2009
							To: Cul-de-Sac				NA			NA		
							From: Cul-de-Sac				NA			NA		
							To: 37-1152				NA			NA		

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1170) Thoroughbred Pkwy	0.61	350	R				From: SR 6 River Rd West				NA			NA		08/19/2009
							To: Cul-de-Sac									
(1171) Bayberry Lane	0.19	90	R				From: Cul-de-Sac				NA			NA		08/19/2009
							To: Cul-de-Sac									
(1172) Hounds Run	0.14	190	R				From: 37-1170 Thoroughbred Pkwy				NA			NA		08/19/2009
							To: 37-1173 Horseshoe Bend									
(1173) Horseshoe Bend	0.33	90	R				From: 37-1174 Bridle Ridge				NA			NA		08/19/2009
							To: Cul-de-Sac									
(1174) Bridle Ridge	0.05	60	R				From: Cul-de-Sac				NA			NA		08/19/2009
							To: 37-1173 Horseshoe Bend									
(1174) Bridle Ridge	0.16	30	R				From: 37-1173 Horseshoe Bend				NA			NA		08/19/2009
							To: Cul-de-Sac									
(1175) Incline Court	0.12	40	R				From: 37-1170 Thoroughbred Pkwy				NA			NA		08/19/2009
							To: Cul-de-Sac									
(1176) Steeplechase Pkwy	0.75	230	R				From: Cul-de-Sac				NA			NA		08/19/2009
							To: 37-724 Bulldog Way									
(1177) Saddlebrook Dr	0.19	90	R				From: Cul-de-Sac				NA			NA		08/19/2009
							To: 37-1176 Steeplechase Pkwy									
(1178) Crest Hollow Court	0.32	80	R				From: Cul-de-Sac				NA			NA		08/19/2009
							To: 37-1176 Steeplechase Pkwy									
(1190) Manakin Park Dr	0.50	290	R				From: 37-676 Hermitage Rd				NA			NA		08/24/2009
							To: Cul-de-Sac									
(1191) Anitas Landing Way	0.04	30	R				From: Cul-de-Sac				NA			NA		08/24/2009
							To: 37-1190 Manakin Park Dr									
(1192) Maymont Way	0.07	70	R				From: 37-1190 Manakin Park Dr				NA			NA		08/24/2009
							To: Cul-de-Sac									
(1193) Libby Hill Court	0.07	90	R				From: 37-1190 Manakin Park Dr				NA			NA		08/24/2009
							To: Cul-de-Sac									
(1194) Powhatan Hill Place	0.09	110	R				From: 37-1190 Manakin Park Dr				NA			NA		08/24/2009
							To: Cul-de-Sac									
(1195) Manakin Parke Circle	0.09	220	R				From: SR 6 River Rd West				NA			NA		08/24/2009
							To: 37-1190 Manakin Park Dr									
(1196) Jefferson Hill Way	0.08	70	R				From: Cul-de-Sac				NA			NA		08/24/2009
							To: 37-1190 Manakin Park Dr									
(1197) Canoe Run Place	0.08	70	R				From: 37-1190 Manakin Park Dr				NA			NA		08/24/2009
							To: Cul-de-Sac									
(1198) Taylors Hill Ct	0.07	80	R				From: 37-1190 Manakin Park Dr				NA			NA		08/24/2009
							To: Cul-de-Sac									


Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1200) Turkey Creek Rd	0.28	520	R				From: 37-617 Oilville Rd				NA			NA		02/27/2006
							To: Dead End									
(1201) Courthouse Dr	0.10	740	R				From: US 522 River Road West				NA			NA		02/27/2006
							To: 37-1202 Courthouse Circle									
(1202) Courthouse Circle	0.28	330	R				From: US 522 River Road West				NA			NA		07/27/2009
							To: 37-1201 Courthouse Dr									
(1205) Pitts Ave	0.22	60	R				From: 37-631 Scott Rd				NA			NA		02/27/2006
							To: 37-666 Gathright Dr									
(1206)	0.07	NA					From: 37-1207				NA			NA		
							To: 37-632 Fairground Rd									
(1207)	0.14	NA					From: Cul-de-Sac				NA			NA		
							To: 37-1206									
(1207)	0.34	NA					From: 37-1206				NA			NA		
							To: Cul-de-Sac									
(1208)	0.06	NA					From: 37-1207				NA			NA		
							To: Cul-de-Sac									
(1209)	0.23	NA					From: Cul-de-Sac				NA			NA		
							To: 37-1207									
(1210) Horsepen Rd	0.49	110	R				From: Cul-de-Sac				NA			NA		07/29/2009
							To: 37-632 Fairground Rd									
(1213) Road A	0.08	790	R				From: US 250 Broad Street Rd				NA			NA		02/16/2006
							To: 37-1214 Road B									
(1213) Road A	0.09	590	R				From: 37-1214 Road B				NA			NA		02/16/2006
							To: Dead End									
(1214) Road B	0.18	280	R				From: 37-1213 Road A				NA			NA		07/29/2009
							To: Cul-de-Sac									
(1215) Valpark Dr	0.59	550	R				From: 37-1213 Road A				NA			NA		07/29/2009
							To: FR-92 Landis Rd									
(1216) Tri County Dr	0.56	150	R				From: 37-1215 Valpark Dr				NA			NA		07/29/2009
							To: 37-1215 Valpark Dr									
(1220) Fox Downs Lane	0.41	120	R				From: Cul-de-Sac				NA			NA		02/16/2006
							To: 37-1222 Huntsman Circle									
(1220) Fox Downs Lane	0.59	290	R				From: 37-1222 Huntsman Circle				NA			NA		02/16/2006
							To: 37-1221 Lake Pointe Circle									
(1220) Fox Downs Lane	0.34	390	R				From: 37-1221 Lake Pointe Circle				NA			NA		02/16/2006
							To: US 250 Broad Street Rd									
(1221) Lake Pointe Circle	0.08	20	R				From: Cul-de-Sac				NA			NA		07/29/2009
							To: 37-1220 Fox Downs Lane									
(1222) Huntsman Circle	0.14	40	R				From: 37-1220 Fox Downs Lane				NA			NA		02/16/2006
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1223) Ridgewell Dr	0.40	220	R								NA			NA		03/13/2006
(1224) Madison Court	0.09	20	R								NA			NA		10/02/2006
(1225) Elizabeth Lane	0.16	30	R								NA			NA		10/02/2006
(1226) Copperstone Ct	0.15	100	R								NA			NA		10/02/2006
(1230) Shade Hunter Lane	0.30	70	R								NA			NA		07/27/2009
(1231) Autumn Breez Dr	0.98	190	R								NA			NA		07/29/2009
(1232) Autumn Breez Place	0.11	30	R								NA			NA		07/29/2009
(1233) Autumn Breeze Dr	0.03	10	R								NA			NA		07/29/2009
(1234) Autumn Breez Dr	0.03	20	R								NA			NA		07/29/2009
(1240) Hill Stream Dr	0.25	110	R								NA			NA		02/27/2006
(1242) Temple Lane	0.22	50	R								NA			NA		09/30/2009
(1250) West Creek Pkwy	2.97	2800	R								NA			NA		02/27/2006
(9168) Byrd Primary School	0.07	170	R								NA			NA		10/02/2006
(9170) Goochland Elem Sch	0.14	630	R								NA			NA		10/02/2006
(9171) Goochland High Sch	0.08	1100	R								NA			NA		10/02/2006
(9172) Cardwell School	0.09	230	R								NA			NA		03/20/2003
(9173) Randolph Elem Sch	0.10	500	R								NA			NA		10/02/2006
(9174) Central High Sch	0.17	470	R								NA			NA		10/02/2006
(9661) Goochland Central Elem	0.08	320	R								NA			NA		06/02/2003

Virginia Department of Transportation
 Traffic Engineering Division
 2010
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Goochland County																	
						From:	Hanover County Line										
 Echo Meadows Rd	0.63	480	R			To:	Hanover County Line				NA			NA		09/02/2008	