

2012

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Special Locality Report

132

City of Staunton

Information in this report is included in Report

07

(Augusta County)

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Staunton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: SCL Staunton															
11 Greenville Ave	City of Staunton	0.68	14000	G	99%	1%	0%	0%	0%	F	0.093	F	0.504	15000	G	
	To: SR 261 Statler Blvd															
11 Greenville Ave	City of Staunton	0.50	13000	G	99%	1%	0%	0%	0%	C	0.092	F	0.533	14000	G	
	To: Hampton St															
11 Greenville Ave	City of Staunton	0.32	11000	G	99%	1%	0%	0%	0%	F	0.086	F	0.506	12000	G	
	To: US 250 Richmond Rd															
11 250 Greenville Ave	City of Staunton	0.07	16000	G	99%	1%	0%	0%	0%	F	0.087	F	0.518	17000	G	
	To: US 250, SR 254															
11 254 Commerce Rd	City of Staunton	0.68	2500	G	96%	0%	1%	1%	1%	C	0.092	F	0.555	2700	G	
	To: SR 254 New Hope Rd															
11 Commerce Rd	City of Staunton	0.15	2700	G	96%	0%	1%	1%	1%	F	0.094	F	0.532	2900	G	
	To: SR 261 Statler Blvd															
11 Commerce Rd	City of Staunton	1.25	5800	G	97%	0%	1%	1%	1%	F	0.099	F	0.515	6100	G	
	To: Bells Lane															
11 Commerce Rd	City of Staunton	0.67	5300	G	97%	0%	1%	1%	1%	C	0.097	F	0.579	5600	G	
	To: Bus US 11															
11 Commerce Rd	City of Staunton	0.49	12000	G	97%	0%	1%	1%	1%	C	0.094	F	0.510	13000	G	
	To: SR 262 Woodrow Wilson Pkwy															
11 Commerce Rd	City of Staunton	0.88	15000	G	97%	0%	1%	1%	1%	F	0.094	F	0.606	16000	G	
	To: NCL Staunton															
Bus	From: US 11; Coalter St															
11 250 Johnson St	City of Staunton	0.18	11000	G	99%	0%	0%	0%	0%	F	0.085	F	0.576	12000	G	
	To: New St															
Bus	From: Johnson St															
11 250 New St	City of Staunton	0.17	1500	G	99%	1%	1%	0%	0%	F	NA			1600	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		6700	G	99%	0%	1%	0%	0%	F	NA			7200	G	
	To: Frederick St															
Bus	From: Frederick St															
11 250 New St	City of Staunton	0.36	1000	G	99%	1%	1%	0%	0%	C	0.104	F		1100	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		5900	G	99%	0%	1%	0%	0%	C	0.088	F	0.524	6300	G	
	To: Churchville Ave															
Bus	From: Churchville Ave															
11 250 Augusta St	City of Staunton	0.02	7500	N	98%	0%	1%	0%	0%	N	0.092	N	0.631	8000	N	
	To: Sunnyside St															
Bus	From: Churchville Ave															
11 Augusta St	City of Staunton	0.41	6700	G	99%	0%	1%	0%	0%	F	0.09	F	0.637	7200	G	
	To: Edgewood Rd															
Bus	From: Edgewood Rd															
11 Augusta St	City of Staunton	0.28	9300	G	99%	0%	1%	0%	0%	F	0.088	F	0.542	9900	G	
	To: Lambert St															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Staunton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 11 Augusta St	From: Lambert St City of Staunton	1.14	5100	G	99%	0%	1%	0%	0%	0%	C	0.1	F	0.512	5400	G
Bus 11 Augusta St	To: Coalter St From: City of Staunton	0.71	6800	G	99%	0%	1%	0%	0%	0%	F	0.095	F	0.53	7200	G
Bus 11p 250 Johnson St	From: Augusta St City of Staunton	0.06	5200	N	99%	0%	0%	0%	0%	0%	N	0.086	N	0.735	5600	N
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA			NA	
Bus 11p 250 Augusta St	To: US 250 Par, New St From: SR 254 Beverly St City of Staunton	0.07	5200	G	99%	0%	0%	0%	0%	0%	F	0.086	F	0.735	5600	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			6700	G	99%	0%	1%	0%	0%	0%	F	NA			7200	G
Bus 11p 250 Augusta St	To: Johnson St From: US 250 Par, Sunnyside St City of Staunton	0.43	4900	G	99%	0%	0%	0%	0%	0%	C	0.09	F	0.631	5200	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			5900	G	99%	0%	1%	0%	0%	0%	C	0.088	F	0.524	6300	G
250 Churchville Ave	From: WCL Staunton City of Staunton	0.04	6500	N	96%	1%	1%	1%	1%	0%	N	0.092	N	0.707	6900	N
250 Churchville Ave	To: SR 262 Woodrow Wilson Pkwy From: City of Staunton	0.79	4300	G	97%	1%	1%	0%	0%	0%	F	0.093	F	0.514	4600	G
250 Churchville Ave	To: Englewood Dr Near Hevener St From: City of Staunton	0.40	7500	G	97%	1%	1%	0%	0%	0%	C	0.090	F	0.533	8000	G
250 Churchville Ave	To: Grubert Ave From: City of Staunton	0.99	7400	G	97%	1%	1%	0%	0%	0%	F	0.084	F	0.597	7900	G
250 Churchville Ave	To: Thornrose Ave From: City of Staunton	0.32	7500	G	98%	0%	1%	0%	0%	0%	C	0.092	F	0.631	8000	G
Bus 250 11 Augusta St	To: Augusta St From: Churchville Ave City of Staunton	0.02	7500	N	98%	0%	1%	0%	0%	0%	N	0.092	N	0.631	8000	N
Bus 250 11 Augusta St	To: US 250 Par New St, Sunnyside St From: US 250 Par, Sunnyside St City of Staunton	0.43	4900	G	99%	0%	0%	0%	0%	0%	C	0.09	F	0.631	5200	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			5900	G	99%	0%	1%	0%	0%	0%	C	0.088	F	0.524	6300	G
Bus 250 11 Augusta St	To: SR 254 Beverly St From: City of Staunton	0.07	5200	G	99%	0%	0%	0%	0%	0%	F	0.086	F	0.735	5600	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			6700	G	99%	0%	1%	0%	0%	0%	F	NA			7200	G
Bus 250 11p Johnson St	To: Johnson St From: Augusta St City of Staunton	0.06	5200	N	99%	0%	0%	0%	0%	0%	N	0.086	N	0.735	5600	N
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA			NA	
	To: US 250 Par, New St															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Staunton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 250 11 Johnson St	From: IUS 250 P New St City of Staunton	0.18	11000	G	99%	0%	0%	0%	0%	0%	F	0.085	F	0.576	12000	G
	To: US 11, SR 254															
250 11 Greenville Ave	From: US 11, SR 254 NEW ST City of Staunton	0.07	16000	G	99%	1%	0%	0%	0%	0%	F	0.087	F	0.518	17000	G
	To: US 11 GREENVILLE AVE															
250 Richmond Rd	From: City of Staunton	0.75	11000	G	97%	0%	1%	1%	1%	0%	F	0.086	F	0.501	11000	G
	To: Stadler Blvd															
250 Richmond Rd	From: City of Staunton	0.96	23000	G	97%	0%	1%	1%	1%	0%	F	0.088	F	0.506	24000	G
	To: Frontier Dr															
250 Richmond Rd	From: City of Staunton	0.44	26000	G	97%	0%	1%	1%	1%	0%	C	0.088	F	0.522	28000	G
	To: ECL Staunton															
Bus 250 11 New St	From: Churchville Ave City of Staunton	0.36	1000	G	99%	1%	1%	0%	0%	0%	C	0.104	F		1100	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		5900	G	99%	0%	1%	0%	0%	0%	C	0.088	F	0.524	6300	G
	To: Frederick St															
250 11 New St	From: City of Staunton	0.17	1500	G	99%	1%	1%	0%	0%	0%	F	NA			1600	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		6700	G	99%	0%	1%	0%	0%	0%	F	NA			7200	G
	To: Johnson St															
252 Middlebrook Ave	From: SCL Staunton City of Staunton	1.08	2900	G	98%	0%	1%	0%	0%	0%	C	0.099	F	0.543	3100	G
	To: Bridge St															
252 Middlebrook Ave	From: City of Staunton	0.60	2500	G	98%	0%	1%	0%	0%	0%	F	0.104	F	0.578	2700	G
	To: Lewis Street															
252 254 Beverly St	From: City of Staunton	0.11	4200	G	99%	0%	1%	0%	0%	0%	F	0.091	F		4500	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		8200	G	99%	0%	1%	0%	0%	0%	F	0.088	F	0.530	8700	G
	To: US 250 Augusta St; Johnson St															
254 Beverly St	From: SR 262 City of Staunton	0.97	8600	G	99%	0%	1%	0%	0%	0%	C	0.095	F	0.525	9200	G
	To: Grubert St															
254 Beverly St	From: City of Staunton	0.69	9300	G	99%	0%	1%	0%	0%	0%	F	0.088	F	0.557	9900	G
	To: Thomrose Ave															
254 Beverly St	From: City of Staunton	0.25	7900	G	99%	0%	1%	0%	0%	0%	F	0.085	F	0.508	8400	G
	To: Frederick St															
254 Beverly St	From: City of Staunton	0.25	6500	G	99%	0%	1%	0%	0%	0%	F	0.079	F	0.684	6900	G
	To: SR 254 P Jefferson St															
254 Beverly St	From: City of Staunton	0.23	5300	G	99%	0%	1%	0%	0%	0%	F	0.089	F		5700	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		8400	G	99%	0%	1%	0%	0%	0%	F	0.091	F	0.599	9000	G
	To: Lewis St															

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Staunton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: Lewis St																
254 252 Beverly St	City of Staunton	0.11	4200	G	99%	0%	1%	0%	0%	0%	F	0.091	F	4500	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			8200	G	99%	0%	1%	0%	0%	0%	F	0.088	F	8700	G	
To: US 250 Augusta St																
254 Beverly St	City of Staunton	0.06	4200	N	99%	0%	1%	0%	0%	0%	N	0.091	N	4500	N	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			7400	N	99%	0%	1%	0%	0%	0%	N	NA		7900	N	
To: US 250 P New St																
254 Beverly St	City of Staunton	0.16	3100	G	99%	0%	1%	0%	0%	0%	F	0.106	F	3300	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			6300	G	99%	0%	1%	0%	0%	0%	F	0.096	F	6700	G	
To: Coalter St																
254 Coalter St	City of Staunton	0.16	6000	G	99%	0%	1%	0%	0%	0%	F	0.095	F	6300	G	
To: US 11, US 250 Commerce St																
254 11 Commerce Rd	City of Staunton	0.68	2500	G	96%	0%	1%	1%	1%	0%	C	0.092	F	2700	G	
To: US 11 Commerce Rd																
254 New Hope Rd	City of Staunton	2.45	1100	G	98%	0%	1%	1%	0%	0%	C	0.101	F	1200	G	
To: ECL Staunton																
From: SR 254 Beverly St																
254 Jefferson St	City of Staunton	0.07	1600	G	96%	1%	1%	1%	1%	0%	C	0.105	F	1700	G	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA		NA		
To: W Frederick St																
254 Frederick St	City of Staunton	0.28	3100	G	99%	0%	0%	0%	0%	0%	C	0.104	F	3300	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			8400	G	99%	0%	1%	0%	0%	0%	F	0.091	F	9000	G	
To: Central St																
254 252 Frederick St	City of Staunton	0.11	4000	G	99%	0%	0%	0%	0%	0%	F	0.096	F	4200	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			8200	G	99%	0%	1%	0%	0%	0%	F	0.088	F	8700	G	
To: US 250, Bus US 11 Par, Augusta Ave																
254 Frederick St	City of Staunton	0.17	3200	G	99%	0%	0%	0%	0%	0%	F	0.097	F	3400	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			6300	G	99%	0%	1%	0%	0%	0%	F	0.096	F	6700	G	
To: Coalter St																
254 Coalter St	City of Staunton	0.07	5900	G	99%	0%	0%	0%	0%	0%	F	0.094	F	6300	G	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA		NA		
To: SR 254, E Beverly St																
From: Old Greenville Rd																
261 Statler Blvd	City of Staunton	0.84	9200	G	98%	0%	0%	0%	1%	0%	C	0.098	F	9800	G	
To: Richmond Rd																
261 Statler Blvd	City of Staunton	0.78	13000	G	98%	0%	0%	1%	0%	0%	C	0.093	F	14000	G	
To: New Hope Rd																

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Staunton

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: New Hope Rd																
261 Statler Blvd	City of Staunton	0.14	14000	G	98%	0%	0%	1%	0%	0%	F	0.086	F	0.534	15000	G
To: Commerce Rd																
From: Commerce Rd																
261 Statler Blvd	City of Staunton	0.25	11000	G	98%	0%	0%	1%	0%	0%	F	0.085	F	0.532	11000	G
To: Beverly St																
From: Beverly St																
261 Statler Blvd	City of Staunton	0.20	9900	G	98%	0%	0%	1%	0%	0%	F	0.088	F	0.548	11000	G
To: Coalter St																
From: WCL Staunton																
262	City of Staunton (Maint: 07)	0.58	7800	G	97%	0%	1%	1%	1%	0%	F	0.091	F	0.551	8300	G
To: US 250 Churchville Ave																
From: US 250 Churchville Ave																
262 Woodrow Wilson Pkwy	City of Staunton (Maint: 07)	2.22	8000	G	94%	0%	1%	3%	1%	0%	C	0.092	F	0.618	8500	G
To: 07-613 Spring Hill Rd																
From: 07-613 Spring Hill Rd																
262 Woodrow Wilson Pkwy	City of Staunton (Maint: 07)	1.74	9800	G	95%	0%	1%	3%	1%	0%	C	0.093	F	0.648	10000	G
To: US 11 Commerce Rd																
From: US 11 Commerce Rd																
262 Woodrow Wilson Pkwy	City of Staunton (Maint: 07)	1.34	11000	G	95%	0%	1%	3%	1%	0%	F	0.095	F	0.521	12000	G
To: ECL Staunton																
From: US 11 Greenville Ave																
317 Staunton Correctional Facility	City of Staunton (Maint: 07)	0.26	NA									NA			NA	
To: Dead End																

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Staunton

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Staunton																
(F1058) Seth Dr	0.07	90	R								NA			NA		06/21/2007
						From: Dead End										
						To: Connector to SR 252										
(F1058) Seth Dr	0.19	90	R								NA			NA		06/21/2010
						From: Dead End										
						To: Churchville Ave										
(1) Englewood Dr	0.34	1900	G	98%	0%	1%	0%	0%	0%	C	0.113	F	0.553	2000	G	2012
						From: Schutterlee Mill Rd										
						To: Middlebrook Ave										
(4900) Hampton St	0.28	8200	G	98%	0%	1%	0%	0%	0%	F	0.088	F	0.512	8700	G	2012
						From: Greenville Ave										
						To: SCL Staunton										
(4901) Barterbrook Rd	0.17	3200	G	98%	0%	1%	0%	0%	0%	C	0.100	F	0.576	3400	G	2012
						From: Greenville Ave										
						To: WCL Staunton										
(4902) Buttermilk Spring Rd	1.00	420	G	98%	1%	1%	0%	0%	0%	C	0.124	F	0.519	450	G	2012
						From: Pierce St										
(4902) Straith St	0.30	970	G	98%	1%	1%	0%	0%	0%	F	NA			1000	G	2012
						From: SR 254 Beverly St										
						To: Frederick St										
(4903) Coalter St	0.54	3900	G	99%	0%	1%	0%	0%	0%	F	0.096	F	0.501	4200	G	2012
						From: Edgewood Rd										
(4903) Coalter St	1.31	3600	G	99%	0%	1%	0%	0%	0%	C	0.098	F	0.511	3800	G	2012
						From: Augusta St										
						To: Beverly St										
(4905) Lewis St	0.48	3600	G	97%	1%	2%	0%	0%	0%	C	0.1	F	0.584	3800	G	2012
						From: Churchville Ave										
						To: Middlebrook Ave										
(4909) Bridge St	0.19	6600	G	99%	0%	0%	0%	0%	0%	C	0.101	F	0.591	7100	G	2012
						From: Stuart St										
(4909) Green St; Jefferson St	0.27	2600	G	99%	0%	0%	0%	0%	0%	F	0.1	F	0.506	2700	G	2012
						From: SR 254 W Beverly St										
						To: Beverly St										
(4913) N Central St	0.38	4100	G								NA			4500	G	2012
						From: Churchville Ave										
						To: Beverly St										
(4915) Thornrose Ave	0.31	2000	G	98%	1%	1%	0%	0%	0%	C	0.112	F	0.68	2200	G	2012
						From: Circle Ave										
(4915) Thornrose Ave	0.42	4600	G	98%	1%	1%	0%	0%	0%	F	0.104	F	0.597	4900	G	2012
						From: Churchville Ave										
						To: Beverly St										
(4919) Grubert Ave	0.99	4400	G	99%	0%	1%	0%	0%	0%	C	0.094	F	0.522	4700	G	2012
						From: Churchville Ave										
						To: WCL Staunton										
(4921) Morris Mill Rd	0.88	2500	G	99%	0%	0%	0%	0%	0%	C	0.151	F	0.580	2600	G	2012
						From: Beverly St										
						To: Augusta St										
(4925) Lambert St	0.44	8000	G	99%	1%	0%	0%	0%	0%	C	0.091	F	0.559	8600	G	2012
						From: Donaghe St										
						To: Churchville Ave										
(4927) Spring Hill Rd	0.76	2500	G	99%	0%	0%	0%	0%	0%	F	0.103	F	0.53	2600	G	2012
						From: Donaghe St										
(4927) Springhill Rd	1.45	2800	G	99%	0%	0%	0%	0%	0%	C	0.093	F	0.565	3000	G	2012
						From: NCL Staunton										

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Staunton

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Staunton																
(4929) Mt View Dr	0.39	610	G	99%	0%	0%	0%	0%	0%	C	0.106	F	0.58	650	G	2012
(4931) Shutterlee Mill Rd	0.95	1400	G	99%	0%	1%	0%	0%	0%	C	0.133	F	0.551	1500	G	2012
(4932) Pierce St	0.20	890	G	98%	1%	1%	0%	0%	0%	C	0.098	F	0.567	950	G	2012
(4933) Peck St	0.17	3800	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.548	4000	G	2012
(4933) Chrysler St/Hays Ave	0.36	3500	G	98%	1%	1%	0%	0%	0%	F	0.098	F	0.539	3700	G	2012
(4935) Stuart St	0.57	4700	G	98%	1%	1%	0%	0%	0%	F	0.105	F	0.615	5000	G	2012
(4937) Johnson St	0.23	2100	G	98%	0%	0%	1%	0%	0%	C	0.111	F	0.75	2200	G	2012
(4937) Johnson St	0.11	6200	G	98%	0%	0%	1%	0%	0%	F	0.089	F	0.520	6600	G	2012
(4938) Prospect St	0.53	850	G	99%	0%	0%	0%	0%	0%	C	0.094	F	0.607	910	G	2012
(4940) Donaghe St	0.37	5700	G	99%	0%	1%	0%	0%	0%	F	0.094	F	0.71	6100	G	2012
(4940) Donaghe St	0.47	3100	G	99%	0%	1%	0%	0%	0%	C	0.092	F	0.571	3300	G	2012
(4942) Old Greenville Rd	0.47	5700	G								0.117	F	0.603	6100	G	2012
(4944) Frontier Dr	1.00	8600	G	99%	0%	1%	0%	0%	0%	C	0.099	F	0.559	9100	G	2012
Archer St		890	G								0.112	F	0.536	950	G	2012
Berry St		90	G								0.149	F	0.625	90	G	2012
Blue Ridge Dr		280	G								0.151	F	0.619	290	G	2012
College Circle		1100	G								0.099	F	0.625	1100	G	2012
Frasier Ln		90	G								0.143	F	0.615	90	G	2012
Peyton St		240	G								0.136	F	0.514	260	G	2012

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Staunton

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Staunton																
Rockway St		70	G			From: Lambert St				0.179	F	0.6	70	G	2012	
						To: Donaghe St										
Spruce St		830	G			From: Lyle Avenue				0.103	F	0.505	830	G	2012	
						To: Spring Hill Rd										