

2016
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates
where available

Jurisdiction Report

24

Cumberland County

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

-  Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

-  Bus - Business Route
-  Bypass - Bypass Route
-  Truck - Truck Route
-  ALT - Alternate Route
-  Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
13 Old Buckingham Rd	From: US 60 Anderson Hwy	7.19	960	G	91%	0%	2%	1%	6%	0%	C	0.094	0.593	980	G	
	To: Powhatan County Line															
45 Cumberland Rd	From: NCL Farmville	3.54	5500	G	96%	1%	1%	1%	2%	0%	F	0.096	0.596	5800	G	
	To: 24-636 Raines Tavern															
45 Cumberland Rd	From: 24-634 Salem Church Rd	4.66	4200	G	96%	1%	1%	1%	2%	0%	F	0.090	0.535	4400	G	
	To: 24-634 Salem Church Rd															
45 Cumberland Rd	From: US 60 West of Cumberland C.H.	5.82	3500	A	96%	1%	1%	1%	2%	0%	C	0.109	0.598	3700	A	
	To: 24-600 Cumberland C.H.															
45 60 Anderson Hwy	From: 24-600 Cumberland CH	2.42	5900	G	89%	1%	2%	3%	5%	0%	F	0.084	0.517	6100	G	
	To: 24-600 Cumberland CH															
45 60 Anderson Hwy	From: SR 13 Old Buckingham Rd	1.09	6700	G	93%	1%	1%	1%	5%	0%	C	0.086	0.525	6900	G	
	To: SR 13 Old Buckingham Rd															
45 60 Anderson Hwy	From: US 60 East of Cumberland C.H.	1.34	5200	G	92%	1%	1%	1%	5%	0%	C	0.087	0.524	5400	G	
	To: US 60 East of Cumberland															
45 Cartersville Rd	From: 24-616 Deep Run Road	4.85	1200	G	91%	0%	2%	2%	5%	0%	F	0.086	0.582	1300	G	
	To: 24-616 Deep Run Road															
45 Cartersville Rd	From: 24-690 North of Whiteville	6.60	1300	G	91%	0%	2%	2%	5%	0%	C	0.083	0.505	1300	G	
	To: 24-690 North of Whiteville															
45 Cartersville Rd	From: 24-649 High St	2.20	1500	G	91%	0%	2%	2%	5%	0%	F	0.082	0.754	1600	G	
	To: 24-649 High St															
45 Cartersville Rd	From: Goochland County Line	0.75	950	G	91%	0%	2%	2%	5%	0%	F	0.094	0.667	970	G	
	To: Goochland County Line															
60 Anderson Hwy	From: Buckingham County Line	4.06	2500	G	89%	1%	1%	2%	7%	0%	C	0.095	0.506	2500	G	
	To: Buckingham County Line															
60 45 Anderson Hwy	From: SR 45 West of Cumberland CH	2.42	5900	G	89%	1%	2%	3%	5%	0%	F	0.084	0.517	6100	G	
	To: SR 45 West of Cumberland CH															
60 45 Anderson Hwy	From: 24-600 Cumberland CH	1.09	6700	G	93%	1%	1%	1%	5%	0%	C	0.086	0.525	6900	G	
	To: 24-600 Cumberland CH															
60 45 Anderson Hwy	From: SR 13 Old Buckingham Rd	1.34	5200	G	92%	1%	1%	1%	5%	0%	C	0.087	0.524	5400	G	
	To: SR 13 Old Buckingham Rd															
60 Anderson Hwy	From: SR 45 East of Cumberland CH	6.05	4600	B	93%	0%	1%	1%	4%	0%	C	0.104	0.605	4700	B	
	To: SR 45 East of Cumberland CH															
60 Anderson Hwy	From: Powhatan County Line	6.05	4600	B	93%	0%	1%	1%	4%	0%	C	0.104	0.605	4700	B	
	To: Powhatan County Line															

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
734 14	Town & Country Rd	0.50	60	R							NA			NA		05/03/2012
600	Court House Circle	0.14	320	R							NA			NA		03/22/2011
600	Stoney Point Rd	1.37	1100	G	99%	0%	1%	0%	0%	F	0.095		0.691	1100	G	2016
600	Stoney Point Rd	0.86	740	G	99%	0%	1%	0%	0%	F	0.095		0.643	760	G	2016
600	Stoney Point Rd	1.58	540	G	99%	0%	1%	0%	0%	F	0.103		0.691	550	G	2016
600	Stoney Point Rd	1.90	490	R							NA			NA		03/22/2011
600	Stoney Point Rd	3.64	270	R							NA			NA		04/05/2011
600	River Rd	5.27	200	R							NA			NA		04/05/2011
600	River Rd	1.58	390	R							NA			NA		03/24/2011
600	River Rd	1.52	460	G	99%	0%	1%	0%	0%	F	0.103		0.7	480	G	2016
600	River Rd	1.97	690	G	99%	0%	1%	0%	0%	C	0.093		0.641	710	G	2016
600	River Rd	0.80	860	G	99%	0%	1%	0%	0%	F	0.095		0.671	890	G	2016
600	Plank Rd	1.83	860	G	99%	0%	1%	0%	0%	C	0.096		0.586	890	G	2016
600	Plank Rd	2.34	450	G	96%	1%	1%	0%	2%	C	0.091		0.659	450	G	2016
600	Plank Rd	2.95	960	R							NA			NA		03/24/2011
601	Ashburn Rd	1.50	140	R							NA			NA		04/08/2014
601	Clinton Rd	1.40	440	R							NA			NA		03/22/2011
601	Clinton Rd	1.75	450	R							NA			NA		03/22/2011
602	Ampt Hill Rd	5.39	190	R							0.111		0.684	NA		04/08/2014
602	Ampt Hill Rd	1.20	150	R							NA			NA		04/07/2011
602	Ampt Hill Rd	0.80	210	R							NA			NA		04/07/2011
602	Ampt Hill Rd	0.20	220	R							NA			NA		04/07/2011
603	Island Rd	0.80	9	R							NA			NA		04/08/2014

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
604 Cedar Plains Rd	0.80	30	R								NA			NA		04/08/2014
605 Boston Hill Rd	3.40	70	R								NA			NA		04/02/2014
605 Boston Hill Rd	1.00	70	R								NA			NA		04/02/2014
606 Blenheim Rd	0.90	220	R								NA			NA		04/02/2014
607 Jennings Rd	1.40	300	R								NA			NA		04/02/2014
608 Sugarfork Rd	1.45	90	R								NA			NA		04/10/2014
608 Sugarfork Rd	1.47	60	R								NA			NA		04/08/2014
608 Sports Lake Rd	1.22	100	R								NA			NA		04/08/2014
608 Sports Lake Rd	0.80	60	R								NA			NA		04/08/2014
608 Royal Oak Rd	0.10	50	R								NA			NA		04/05/2011
609 Sportslake Rd	1.25	110	R								NA			NA		04/05/2011
609 Sportslake Rd	0.35	90	R								NA			NA		04/05/2011
610 Duncan Store Rd	2.90	540	G	88%	0%	2%	2%	7%	0%	C	0.088		0.638	550	G	2016
611 Morningside Rd	2.50	260	R								NA			NA		04/08/2014
612 Trices Lake Rd	2.50	110	R								NA			NA		04/08/2014
612 Trices Lake Rd	0.82	110	R								NA			NA		04/08/2014
612 Flanagan Mill Rd	0.18	20	R								NA			NA		04/07/2011
613 Petersville Rd	1.50	30	R								NA			NA		04/10/2014
613 Sports Lake Rd	1.55	40	R								NA			NA		04/10/2014
614 Taylor Rd	0.90	130	R								NA			NA		04/02/2014
614 Bradley Rd	1.20	30	R								NA			NA		04/02/2014

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(615) Game Farm Rd	1.80	50	R								NA		NA			04/05/2011
(615) Whiteville Rd	0.10	80	R								NA		NA			04/02/2014
(615) Whiteville Rd	1.77	50	R								NA		NA			04/05/2011
(615) Whiteville Rd	0.03	60	R								NA		NA			04/02/2014
(616) Deep Run Rd	2.40	150	R								NA		NA			04/07/2011
(616) Deep Run Rd	4.08	70	R								NA		NA			04/07/2011
(616) Deep Run Rd	2.30	370	R								NA		NA			04/07/2011
(617) Gravel Hill Rd	0.25	480	R								NA		NA			04/10/2014
(618) Perkins Rd	0.34	60	R								NA		NA			04/02/2014
(619) Fleming Rd	0.36	80	R								NA		NA			04/10/2014
(620) Stoney Point Mill Lane	0.80	80	R								NA		NA			03/27/2014
(621) Brook Hill	2.00	50	R								NA		NA			03/27/2014
(622) Trents Mill Rd	3.33	1700	G	93%	1%	1%	1%	4%	0%	C	0.085	0.662	1800	G		2016
(622) Trents Mill Rd	1.61	1200	G	93%	1%	1%	1%	4%	0%	F	0.088	0.569	1200	G		2016
(622) Trents Mill Rd	0.57	1000	G	93%	1%	1%	1%	4%	0%	F	0.088	0.513	1000	G		2016
(622) Trents Mill Rd	1.14	470	R								NA		NA			04/05/2011
(623) Quarry Rd	1.95	80	R								NA		NA			04/10/2014
(623) Sugar Fork Rd	2.60	360	R								NA		NA			04/06/2011
(623) Sugar Fork Rd	0.22	760	R								NA		NA			03/22/2011
(624) Jenkins Church Rd	2.20	100	R								NA		NA			04/08/2014
(624) Jenkins Church Rd	0.80	110	R								NA		NA			04/08/2014
(624) Jenkins Church Rd	2.35	80	R								NA		NA			04/10/2014

Virginia Department of Transportation
 Traffic Engineering Division
 2016
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
624	Jenkins Church Rd	0.35	90	R							NA			NA		04/10/2014
						From 2.35 MN 24-626 Meador Rd										
624	Sugarfork Rd	0.80	170	R							NA			NA		04/05/2011
						From 24-608 Sugarfork Rd										
624	Sugarfork Rd	1.50	220	R							NA			NA		04/05/2011
						From 24-696 Bonbrook Rd										
						To 24-623 Sugar Fork Rd; Quarry Rd										
625	Barber Rd	1.10	30	R							NA			NA		04/02/2014
						From Dead End										
						To SR 45 Cartersville Rd										
626	Bonbrook Creek Rd	2.30	210	R							NA			NA		04/08/2014
						From 24-623 Sugar Fork Rd										
626	Meador Rd	1.19	60	R							NA			NA		04/08/2014
						From 24-624 S, Jenkins Church Rd										
						To 24-624 N, Jenkins Church Rd										
626	Meador Rd	1.20	30	R							NA			NA		04/08/2014
						From 24-601 Ashburn Rd										
						To SR 45 Cartersville Rd										
627	Barter Hill Rd	0.25	40	R							NA			NA		04/10/2014
						From 24-622 E, Bear Creek Lake Rd										
627	Barter Hill Rd	1.05	70	R							NA			NA		04/10/2014
						From 24-730 Qimby Rd										
						To 24-622 W, Bear Creek Lake Rd										
628	Forest View Rd	3.86	150	R							NA			NA		04/10/2014
						From US 60 Anderson Hwy										
						To 24-629 Oak Hill Rd										
629	Oak Hill Rd	0.92	260	R							NA			NA		03/22/2011
						From US 60 Anderson Hwy										
629	Oak Hill Rd	3.28	60	R							NA			NA		03/22/2011
						From 24-633 Rock Creek Rd										
629	Oak Hill Rd	0.80	220	R							NA			NA		03/22/2011
						From 24-628 Forest View Rd										
629	Oak Hill Rd	0.75	240	G	92%	0%	2%	5%	0%	0%	C	0.141	0.5	250	G	2016
						From 24-666 Bear Creek Lake Rd										
						To 24-622 Trents Mill Rd; 24-627 Barter Hill Rd										
630	School Rd	0.10	2100	R							NA			NA		03/22/2011
						From 24-9111 School Rd										
						To US 60 Anderson Hwy										
631	Davenport Rd	0.50	710	G	97%	2%	1%	0%	0%	0%	C	0.104	0.569	730	G	2016
						From SR 45 Cumberland Rd										
631	Davenport Rd	3.60	230	R							NA			NA		03/22/2011
						From 24-639 Putney Rd										
631	Davenport Rd	0.80	60	R							NA			NA		03/27/2014
						From 24-644 Forest Hill										
						To 24-600 Stoney Point Rd										
632	CA IRA Rd	2.80	200	R							NA			NA		03/22/2011
						From Buckingham County Line										
632	CA IRA Rd	0.40	40	R							NA			NA		04/10/2014
						From 24-652 CA IRA Rd										
						To Dead End										
633	Agee Lane	1.87	160	R							NA			NA		03/22/2011
						From Dead End										
						To SR 45 N, Cumberland Rd										

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(633) Vogel Rd	2.09	230	R									NA		NA		03/22/2011
(633) Rock Creek Rd	1.04	30	R									NA		NA		04/10/2014
(634) Salem Church Rd	3.45	390	R									NA		NA		03/27/2014
(635) Pleasant Valley Rd	2.80	170	R									NA		NA		03/24/2011
(635) Pleasant Valley Rd	1.40	140	R									NA		NA		03/27/2014
(636) Cedar Lane	1.20	380	R									NA		NA		03/24/2011
(636) Raines Tavern Rd	1.00	570	G	96%	0%	1%	0%	2%	0%	F	0.106		0.715	590	G	2016
(636) Raines Tavern Rd	1.80	500	G	96%	0%	1%	0%	2%	0%	C	0.095		0.51	510	G	2016
(636) Raines Rd	0.30	110	R									NA		NA		03/21/2014
(637) S Airport Rd	1.42	150	R									NA		NA		03/24/2011
(637) S Airport Rd	0.15	310	R									NA		NA		03/24/2011
(637) S Airport Rd	0.90	230	G	90%	1%	1%	5%	3%	0%	C	0.133		0.675	230	G	2016
(638) John Randolph Rd	2.50	810	G	97%	0%	0%	1%	2%	0%	C	0.089		0.671	830	G	2016
(638) Guinea Rd	3.20	380	G	97%	0%	0%	1%	2%	0%	F	0.104		0.641	390	G	2016
(638) Guinea Rd	2.49	280	G	97%	0%	0%	1%	2%	0%	F	0.099		0.508	280	G	2016
(639) Putney Rd	4.64	220	G	99%	0%	1%	0%	0%	0%	C	0.119		0.679	230	G	2016
(640) Holman Mill Rd	4.20	340	R									NA		NA		04/05/2011
(641) Simms Rd	1.80	430	R									NA		NA		04/08/2014
(642) Clements Rd	0.40	60	R									NA		NA		04/08/2014
(642) Clements Rd	0.40	550	R									NA		NA		04/08/2014
(643) Motley Mill Rd	2.50	250	R									NA		NA		04/08/2014

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(644) Forest Hill	1.20	40	R									NA		NA		03/27/2014
(645) Goshen Rd	0.80	290	R									NA		NA		03/22/2011
(645) Goshen Rd	1.95	170	R									NA		NA		03/22/2011
(646) Maxeys Mill Rd	1.69	30	R									NA		NA		04/02/2014
(646) Oak Forest Rd	1.10	30	R									NA		NA		04/02/2014
(647) Brown Rd	2.50	30	R									NA		NA		04/02/2014
(648) Parker Rd	0.15	20	R									NA		NA		04/02/2014
(649) Tavern Rd	0.10	60	G	97%	1%	3%	0%	0%	0%	C	0.153	0.636	60	G		2016
(649) High St	0.25	160	G	97%	1%	3%	0%	0%	0%	F	0.115	0.524	160	G		2016
(650) Belle Rd	2.13	280	G	98%	0%	1%	1%	0%	0%	C	0.144	0.881	290	G		2016
(651) Raines Tavern Rd	0.50	60	R									NA		NA		03/27/2014
(652) CA IRA Rd	0.10	280	R									NA		NA		03/22/2011
(653) High Hill Rd	1.70	150	R									NA		NA		03/21/2014
(653) Cooks Rd	4.70	230	R									NA		NA		03/21/2014
(654) Sunnyside Rd	0.50	330	R									NA		NA		03/22/2011
(654) Sunnyside Rd	2.60	250	R									NA		NA		03/22/2011
(654) Frenchs Store Rd	6.00	310	R									NA		NA		03/22/2011
(654) Pinegrove Rd	0.90	330	R									NA		NA		03/22/2011
(654) Pinegrove Rd	1.20	270	R									NA		NA		04/02/2014
(654) Pinegrove Rd	0.60	210	R									NA		NA		04/02/2014
(654) Pinegrove Rd	1.50	90	R									NA		NA		04/02/2014

Virginia Department of Transportation
 Traffic Engineering Division
 2016
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(655) Oak Lane Rd	0.40	30	R			From: 24-616 Deep Run Rd					NA			NA		04/02/2014
						To: Dead End										
(656) Church St	0.15	30	R			From: 24-649 W, High St					NA			NA		04/07/2011
						To: 24-649 E, High St										
(657) Jamestown Rd	3.57	180	R			From: 24-600 River Rd					NA			NA		03/21/2014
						To: SR 45 Cumberland Rd										
(658) Ingles Rd	0.10	70	R			From: 24-657 Jamestown Rd					NA			NA		03/21/2014
						To: Dead End										
(659) Tamworth Rd	0.43	30	R			From: 24-684 Cartersville Ext					NA			NA		04/02/2014
						To: Dead End										
(660) Horsepen Rd	1.00	190	R			From: 24-640 Holman Mill Rd					NA			NA		04/05/2011
						To: 1.00 ME 24-640										
(660) Horsepen Rd	2.00	90	R			From: 24-639 Putney Rd					NA			NA		04/05/2011
						To: 24-654 Pinegrove Rd										
(661) Locust Grove	1.40	130	R			From: 24-616 Deep Run Rd					NA			NA		04/02/2014
						To: Dead End										
(662) Strawberry Hill	0.20	50	R			From: 0.20 MN Dead End					NA			NA		04/02/2014
						To: SR 13 Old Buckingham Rd										
(663) Game Farm Rd	1.90	160	R			From: SR 45 Cartersville Rd					NA			NA		04/05/2011
						To: 24-615 W, Whiteville Rd; Game Farm Rd										
(663) Bigger Rd	1.00	80	R			From: 24-615 E, Whiteville Rd					NA			NA		04/02/2014
						To: Dead End										
(664) Angola Rd	1.10	60	R			From: 24-600 River Rd					NA			NA		03/21/2014
						To: 24-679 Angola Lane										
(664) Angola Rd	2.20	70	R			From: 24-638 Guinea Rd					NA			NA		03/24/2011
						To: SR 45 Cartersville Rd										
(665) Tavern Rd	0.07	30	R			From: 24-649 High St					NA			NA		04/07/2011
						To: Dead End										
(666) Bear Creek Lake Rd	0.77	150	R			From: Dead End					NA			NA		04/10/2014
						To: 24-629 Oak Hill Rd										
(667) Carter Rd	1.12	130	R			From: 24-654 Sunnyside Rd					NA			NA		03/27/2014
						To: 24-637, S Airport Rd										
(668) S Airport Rd	1.05	120	R			From: 24-716 Wedgewood Dr					NA			NA		03/24/2011
						To: 0.25 ME 24-716										

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(668) N Airport Rd	1.01	30	R			From: 0.25 ME 24-716 To: 24-635 Pleasant Valley Rd					NA			NA		03/24/2011
(669) Tarwallet Rd	1.90	440	R			From: SR 45 Cumberland Rd To: US 60 E, Anderson Hwy					NA			NA		03/22/2011
(669) Criss Rd	0.60	180	R			From: US 60 W, Anderson Hwy To: Dead End					NA			NA		04/10/2014
(670) Wilson Russell Dr	0.40	260	R			From: SR 45 Cumberland Rd To: US 60 Anderson Hwy					NA			NA		04/10/2014
(671) Summerset Rd	0.60	70	R			From: 24-696 Bonbrook Rd To: 24-672 Sports Lake Rd					NA			NA		04/10/2014
(672) Sports Lake Rd	3.38	240	R			From: 24-622 Trents Mill Rd; Bear Creek Lake Rd To: 24-694 Henderson Rd					NA			NA		04/05/2011
(672) Sports Lake Rd	0.80	110	R			From: 24-708 Journeys End Rd To: 0.75 MN 24-708					NA			NA		04/05/2011
(672) Sports Lake Rd	0.75	80	R			From: 24-613 Sports Lake Rd; Petersville To: 24-600 River Rd					NA			NA		04/05/2011
(673) Ligontown Rd	2.60	70	R			From: 24-600 River Rd To: 24-638 Guinea Rd					NA			NA		03/27/2014
(674) Edge Hill Rd	0.40	110	R			From: Dead End To: 24-719 Hobson Rd					NA			NA		03/27/2014
(674) Edge Hill Rd	0.80	150	R			From: 24-654 Sunnyside Rd To: Dead End					NA			NA		03/27/2014
(675) Crowder Rd	1.70	70	R			From: Dead End To: 24-638 Guinea Rd					NA			NA		03/27/2014
(676) Asai Rd	0.75	290	R			From: SR 45 Cumberland Rd To: 24-692 Briar Creek Rd					NA			NA		03/24/2011
(676) Asai Rd	2.00	180	R			From: 24-692 Briar Creek Rd To: Dead End					NA			NA		03/27/2014
(677) Brown Branch Rd	1.00	70	R			From: Dead End To: 24-600 River Rd					NA			NA		03/21/2014
(678) Cotton Town Rd	0.50	80	R			From: 24-638 Guinea Rd To: Dead End					NA			NA		03/27/2014
(679) Angola Lane	2.00	120	R			From: 24-664 Angola Rd To: 24-638 Guinea Rd					NA			NA		03/27/2014
(680) Coffeys Rd	0.80	60	R			From: Dead End To: SR 45 Cumberland Rd					NA			NA		03/27/2014
(681) Bransford Rd	1.00	110	R			From: Dead End To: 24-654 Frenchs Store Rd					NA			NA		03/27/2014

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(682) Northfield Rd	0.50	330	R								NA			NA		03/27/2014
(683) Jefferson Rd	0.40	50	R								NA			NA		04/02/2014
(684) Cartersville Ext	1.03	1200	G	96%	1%	1%	1%	1%	0%	C	0.100		0.624	1200	G	2016
(685) Miller Lane	1.00	140	R								NA			NA		04/02/2014
(686) White Rd	2.80	60	R								NA			NA		04/08/2014
(686) Cedar Plains Rd	0.90	50	R								NA			NA		04/08/2014
(687) Sherwood Rd	2.20	170	R								NA			NA		04/02/2014
(688) Garnett Rd	1.10	50	R								NA			NA		03/27/2014
(689) Cedar Spring Rd	0.50	110	R								NA			NA		04/02/2014
(690) Columbia Rd	2.94	590	G	93%	0%	1%	1%	5%	0%	C	0.113		0.567	610	G	2016
(690) Columbia Rd	3.89	550	G	93%	0%	1%	1%	5%	0%	F	0.101		0.569	570	G	2016
(690) Columbia Rd	4.53	520	G	93%	0%	1%	1%	5%	0%	F	0.095		0.726	530	G	2016
(691) Blanton Farm Rd	0.50	60	R								NA			NA		03/27/2014
(692) Briar Creek Rd	0.65	60	R								NA			NA		03/27/2014
(693) Swann Rd	1.30	110	R								NA			NA		04/08/2014
(694) Henderson Rd	0.60	120	R								NA			NA		04/10/2014
(695) Lewis Rd	0.25	70	R								NA			NA		03/27/2014
(696) Tatum Rd	0.70	40	R								NA			NA		04/05/2011
(696) Bonbrook Rd	0.70	60	R								NA			NA		04/10/2014
(696) Bonbrook Rd	1.00	110	R								NA			NA		04/05/2011

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(697) Jenkins Ridge Rd	1.20	70	R								NA			NA		04/02/2014
(698) Cuffie Rd	0.25	20	R								NA			NA		03/21/2014
(699) Thompson Dr	0.60	90	R								NA			NA		03/27/2014
(699) Thompson Dr	0.20	170	R								NA			NA		03/27/2014
(700) Mt Elba Rd	0.70	50	R								NA			NA		04/08/2014
(701) Atkins Rd	1.00	60	R								NA			NA		03/21/2014
(702) Burks Rd	0.50	20	R								NA			NA		03/21/2014
(703) Hunters Trail	1.05	140	R								NA			NA		04/08/2014
(704) Bear Branch Rd	0.25	20	R								NA			NA		03/27/2014
(705) Stone Dr	0.30	30	R								NA			NA		03/27/2014
(706) High Pockets Rd	0.40	70	R								NA			NA		04/02/2014
(707) Spillman Rd	0.40	220	R								NA			NA		03/21/2014
(708) Journeys End Rd	0.40	40	R								NA			NA		04/10/2014
(709) Perkins Ln	0.40	130	R								NA			NA		03/21/2014
(710) Fitzgerald Rd	0.17	250	R								NA			NA		04/10/2014
(711) Crump Rd	0.95	50	R								NA			NA		04/07/2011
(712) Mahan Rd	1.60	380	R								NA			NA		03/21/2014
(713) Saw Mill Rd	0.93	90	R								NA			NA		04/08/2014
(714) Trices Lake Rd	0.20	80	R								NA			NA		04/07/2011

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(715) Giles Rd	0.45	80	R				From: Dead End				NA		NA			04/08/2014
							To: 24-690 Columbia Rd									
(716) Wedgewood Dr	0.34	130	R				From: Dead End				NA		NA			03/24/2011
							To: 24-668 Airport Rd									
(717) Langhorne Rd	0.63	150	R				From: Dead End				NA		NA			04/02/2014
							To: 24-600 Stoney Point Rd									
(718) Amos Rd	0.30	60	R				From: 24-640 Holman Mill Rd				NA		NA			03/27/2014
							To: Dead End									
(719) Hobson Rd	0.32	70	R				From: 24-674 Edge Hill Rd				NA		NA			03/27/2014
							To: Dead End									
(720) Randolph Terrace	0.25	60	R				From: Dead End				NA		NA			03/21/2014
							To: 24-653 Cooks Rd									
(721) Pip Junge Rd	0.18	50	R				From: SR 45 Cartersville Rd				NA		NA			03/22/2011
							To: Dead End									
(722) Bolden Rd	0.05	46	R				From: 24-650 Bolden Rd				NA		NA			04/10/2014
							To: Dead End									
(723) Hatcher Rd	0.40	80	R				From: Dead End				NA		NA			03/27/2014
							To: SR 13 Old Buckingham Rd									
(724) Ayers Rd	0.50	50	R				From: Dead End				NA		NA			04/10/2014
							To: US 60 Anderson Hwy									
(725) Woodland Dr	0.35	80	R				From: Dead End				NA		NA			03/27/2014
							To: 24-638 John Randolph Rd									
(726) Foster Rd	0.31	200	R				From: 24-600 Courthouse Circle				NA		NA			04/10/2014
							To: Dead End									
(727) Hill Crest Rd	0.08	70	R				From: SR 45 Cumberland Rd				NA		NA			03/22/2011
							To: Dead End									
(728) Poor House Rd	0.65	480	R				From: US 60 Anderson Hwy				NA		NA			04/08/2014
							To: Dead End									
(729) Streets Place	0.33	40	R				From: Dead End				NA		NA			04/07/2011
							To: 24-602 Ampthill Rd									
(730) Ownby Rd	0.25	60	R				From: Dead End				NA		NA			04/10/2014
							To: 24-627 Barter Hill Rd									
(731) Milden Rd	0.39	40	R				From: Cul-de-Sac				NA		NA			03/27/2014
							To: 24-600 Stoney Point Rd									
(732) Hauschild Dr	0.20	330	R				From: 24-600 River Rd				NA		NA			03/24/2011
							To: Dead End									
(733) Allen Dr	0.20	60	R				From: Dead End				NA		NA			03/24/2011
							To: 24-657 Jamestown Rd									

Virginia Department of Transportation
Traffic Engineering Division
2016
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(734) Town & Country Rd	0.24	60	R								NA			NA		04/08/2014
(735) Mt Airy Lane	1.00	140	R								NA			NA		04/08/2014
(737) Joggers Trail	0.33	60	R								NA			NA		03/22/2011
(1008) Church View Est	0.46	120	R								NA			NA		03/21/2014
(1009) Edgewood Dr	0.10	110	R								NA			NA		03/24/2011
(1009) Edgewood Dr	0.10	140	R								NA			NA		03/21/2014
(1010) Virginia Ave	0.17	60	R								NA			NA		03/24/2011
(1010) Virginia Ave	0.13	30	R								NA			NA		03/24/2011
(1011) Lynn Dr	0.09	47	R								NA			NA		03/24/2011
(1011) Lynn Dr	0.08	140	R								NA			NA		03/24/2011
(1012) Lake View Dr	0.12	30	R								NA			NA		03/21/2014
(1012) Lake View Dr	0.08	90	R								NA			NA		03/21/2014
(1012) Lake View Dr	0.09	120	R								NA			NA		03/21/2014
(1012) Lake View Dr	0.11	170	R								NA			NA		03/21/2014
(1013) Dana Dr	0.22	70	R								NA			NA		03/24/2011
(1013) Dana Dr	0.12	40	R								NA			NA		03/24/2011
(1014) Beechwood Dr	0.07	40	R								NA			NA		03/24/2011
(1015) Kevin Dr	0.11	3	R								NA			NA		03/24/2011
(1015) Kevin Dr	0.17	30	R								NA			NA		03/24/2011
(1020) Fletcher Dr	0.30	150	R								NA			NA		03/21/2014
(9111) School Rd	0.13	2100	R								NA			NA		03/22/2011

Virginia Department of Transportation
 Traffic Engineering Division
 2016
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
Cumberland County																		
(9780)	0.09	60	R	From US 60 Anderson Hwy												NA	NA	03/05/2014
				To 24-628 Forest View Rd														